





Safety

R3 RELIABLE REDISTRIBUTION RESOURCE®

Buyer's Guide 2013/2014



Full Line of PPE and Safety Products

2013 Safety Catalogue

Canadian Head Office: Toll Free: 1-866-964-0144 • Phone: 905-631-4000

Fax: 905-631-4001 • www.r3redistribution.ca

Table of Contents

EYE PROTECTION 1-4

Safety Glasses	1-4
Safety Goggles	4

FALL PROTECTION 26-29

Harnesses	26, 27, 29
Lanyards & Other Accessories	26-29
Kits/Systems	26, 29

HEAD/FACE PROTECTION 5-8

Hard Hats & Caps	5, 7
Hard Hat/Cap Accessories	6
Face Shield Headgear & Windows	8

PROTECTIVE CLOTHING 30-35

Coveralls	30-33
Aprons, Frocks, Lab Coats, Shirt & Pants	34
Boot Covers, Shoe Covers & Sleeves	35

HEARING PROTECTION 9-14

Earplugs	9-12
Hearing Protectors	11
Earmuffs	12-14

INSTRUMENTATION 36

Gas Detectors	36
Automated Test Systems	36

RESPIRATORY PROTECTION 15-21

Disposable Respirators	15-17
Reusable Respirators	18-21
Replacement Parts	18-21

FIRST AID 37

Eyewash Stations	37
Eyewash Solution	37
First Aid Kits	37

HAND PROTECTION 22-25

Disposable Gloves	22-23
Coated Gloves	23-24
Cut Resistant Gloves	24-25

INDEX 38-40



**R3 RELIABLE
REDISTRIBUTION
RESOURCE®**

❖ Indicates items that are non-stock. Not all products are stocked in all locations.
Stock/Non-Stock status is subject to change without notice.

VALUE FOOTPRINT

OUR VALUE PROPOSITION

- Low minimum order
- Blind Drop Ship provides confidentiality - an excellent way to reduce shipping and handling costs

WIDE REACHING

R3 SAFETY HAS COAST-TO-COAST PRESENCE WITH ITS LARGE DISTRIBUTION NETWORK

- 2 safety product distribution centers across Canada with 9 branches to serve you
- Deliveries to most Canadian destinations within 2 days

CONVENIENCE, SERVICE, SELECTION

MAKING DISTRIBUTORS PROFITABLE

- Save more by combining multiple vendor orders
- Low minimums and broken cases for stocked items
- An array of products offered through 8 major manufacturers

3M**3M™ METALIKS™ SPORT PROTECTIVE EYEWEAR**

Sleek-styled sport protective eyewear that connects comfort, coverage and clarity with spatula style temples, polycarbonate lenses and an anti-fog hardcoat. Metal frame and temples. Sports styled lens. Soft nose bridge. Meets the requirements of CSA Z94.3-2007 and ANSI Z87.1-2010.

Order #	Mfg #	Description	Pack
665521191	11343-10000-20	Nickel Frame, Clear Anti-Fog Lens	1/ea.

**3M****3M™ OX™ 2000 PROTECTIVE EYEWEAR**

Sturdy, durable OX™ protective eyewear delivers high impact protection, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage. Its lightweight frame and anti-fog hard coat lens deliver clarity. Meets the requirements of CSA Z94.3-2007 and ANSI Z87.1-2010.

Order #	Mfg #	Description	Pack
665574651	12166-00000-20	Black Temple, Clear Anti-Fog Lens	1/ea.

**3M****3M™ QX™ PROTECTIVE EYEWEAR**

Sleek-styled protective eyewear that blends clarity and safety with a soft nosebridge and adjustable temples, anti-fog coating, and a wraparound, polycarbonate lens. 3M™ DX™ anti-fog hardcoat. Polycarbonate lens absorbs 99.9% UV. Meets the requirements of CSA Z94.3-2007 and ANSI Z87.1-2010.

Order #	Mfg #	Description	Pack
665520831	12100-10000-20	Black Temple, Clear Anti-Fog Lens	1/ea.

**3M****3M™ VIRTUA™ SPORT SAFETY EYEWEAR**

Sleek, unisex sport protective eyewear that combines athletic-look styling, versatility and value with a high wraparound, anti-fog polycarbonate lens for excellent eye coverage and a comfortable fit. Meets the requirements of CSA Z94.3-2007 and ANSI Z87.1-2010.

Order #	Mfg #	Description	Pack
665574201	11384-00000-20	Clear Temple, Clear Anti-Fog Lens	1/ea.



IMPORTANT: The 3M products in this catalogue must be used in accordance with OSHA regulations, and the user instructions, warnings, and limitations accompanying each product.

CREWS GLASSES**BEARKAT® SAFETY GLASSES**

Flexible, bayonet temples and black, rubber temple sleeves for use with breakaway cords. Lenses feature Duramass® scratch resistant coating and provide 99.9% UV protection. Meets or exceeds the following certifications: ANSI Z87+, AS/NZS 1337.1, CE EN166, CAN/CSA Z94.3.

Order #	Mfg #	Description	Pack
331401111	BK110	Frost Frame, Clear Lens	1/ea.
331400211	BK110AF	Frost Frame, Clear, Anti-Fog Lens	1/ea.
331400221	BK112	Frost Black Frame, Grey Lens	1/ea.
331411191	BK119	Frost Frame, I/O Clear Mirror Lens	1/ea.
331401141	BK114	Translucent Yellow Frame, Amber Lens	1/ea.

**CREWS GLASSES****BLACKJACK® SAFETY GLASSES**

Sleek, wraparound chrome metal frame design. All lenses come with the Duramass® scratch resistant coating. Provides 99.9% UV protection. Meets or exceeds the following certifications: ANSI Z87+, CAN/CSA Z94.3.

Order #	Mfg #	Description	Pack
331421111	S2110	Chrome Frame, Clear Lens	1/ea.
331403121	S2112	Chrome Frame, Grey Lens	1/ea.
331403171	S2117	Chrome Frame, Silver Mirror Lens	1/ea.

**CREWS GLASSES****CHECKLITE® SAFETY GLASSES**

Flexible spatula temple design for comfortable fit during long use. Near total seal of eye orbit assures the highest level of protection, and lightweight, polycarbonate lens filters over 99.9% of UV radiation. Meets or exceeds the following certifications: ANSI Z87+, AS/NZS 1337.1, CE EN166, CAN/CSA Z94.3.

Order #	Mfg #	Description	Pack
331400461	CL010	Clear Frame, Clear, Uncoated Lens	1/ea.
331400471	CL110	Clear Frame, Clear, Anti-Scratch Lens	1/ea.

**CREWS GLASSES****KLONDIKE® SAFETY GLASSES**

Popular frame style fits a variety of head shapes. Features strong, lightweight polycarbonate lens with 11-base curve, adjustable temples and soft gel nosepiece. Provides 99.9% UV protection. Meets or exceeds the following certifications: ANSI Z87+, CE EN166, CAN/CSA Z94.3.

Order #	Mfg #	Description	Pack
331402101	KD110AF	Black Frame, Clear, Anti-Fog Lens	1/ea.
331401541	KD112	Black Frame, Grey Lens	1/ea.
331401131	KD113	Black Frame, Light Blue Lens	1/ea.
331401561	KD114	Black Frame, Amber Lens	1/ea.
331401191	KD119	Black Frame, I/O Clear Mirror Lens	1/ea.





STORM® SAFETY GLASSES

Face-flattering eyewear features 5-position ratchet-action temples and non-slip temple sleeves for adjustable fit. Lightweight, polycarbonate lens delivers advanced visual acuity and protection. All lenses are treated with the Duramass® scratch resistant coating. Meets or exceeds the following certifications: ANSI Z87+, CE EN166, CAN/CSA Z94.3.

Order #	Mfg #	Description	Pack
331464051	ST110	Black Frame, Clear Lens	1/ea.
331402991	ST112	Black Frame, Grey Lens	1/ea.
331401171	ST117	Black Frame, Silver Mirror Lens	1/ea.



TACOMA® SAFETY GLASSES

Low cost protection without giving up quality, safety, comfort or durability. Made of strong, lightweight, scratch resistant polycarbonate, the one piece wrap-around lens delivers a wide field of vision and lateral impact protection. Treated with our exclusive Duramass® scratch resistant coating. Meets or exceeds the following certifications: ANSI Z87+, CAN/CSA Z94.3.

Order #	Mfg #	Description	Pack
331403451	TC120	Blue Temples, Clear Lens	1/ea.



YUKON®/YUKON XL® VISITOR GLASSES

Low-cost safety eyewear for temporary workers or visitors. Features contemporary, wraparound style, increased angular coverage, improved peripheral vision, molded-in browguard, and vented sideshields. The Yukon XL is an enlarged version that allows for wear over regular prescription eyeglasses. Meets or exceeds the following certifications: ANSI Z87+, CAN/CSA Z94.3.

Order #	Mfg #	Description	Pack
331405321	9800	Yukon, Clear Frame, Clear Lens	1/ea.
331405351	9800XL	Yukon XL, Clear Frame, Clear Lens	1/ea.



THE EDGE SAFETY EYEWEAR

Single piece polycarbonate lens. 4A coating: Anti-fog, anti-scratch, anti-static and anti-UV at 99.9%. CSA approved.

Order #	Mfg #	Description	Pack
347660051	T56005B	Black Frame, Clear Lens	1/ea.
347675251	T56005BA	Black Frame, Amber Lens	1/ea.
347675311	T56005BS	Black Frame, Smoke Lens	1/ea.



STRATOS® SAFETY GLASSES

An affordable alternative for providing comfort, protection, and style. Features a stylish wrap-around design and one piece polycarbonate lens with integral sideshields that filters out 99.9% of UV radiation. The lightweight frame provides added comfort and balance. Treated with our exclusive Duramass® scratch resistant coating. Meets or exceeds the following certifications: ANSI Z87+, CE EN166, CAN/CSA Z94.3.

Order #	Mfg #	Description	Pack
331441101	SS110	Black Frame, Clear Lens	1/ea.
331402931	SS112	Black Frame, Grey Lens	1/ea.



TOMAHAWK® SAFETY GLASSES

Features fully adjustable, 5-position, ratchet-action temples, stylish wraparound design, 1-piece polycarbonate lens treated with the Duramass® scratch resistant coating, integral sideshields, and lightweight frame. Provides more than 99.9% UV protection. Meets or exceeds the following certifications: ANSI Z87+, AS/NZS 1337.1, CAN/CSA Z94.3.

Order #	Mfg #	Description	Pack
331464011	TK110	Black Frame, Clear Lens	1/ea.
331464071	TK110AF	Black Frame, Clear Anti-Fog Lens	1/ea.
331403541	TK112	Black Frame, Grey Lens	1/ea.



N-VISION™ 5600 SAFETY EYEWEAR

Frame made of new Elasto LT chemical resistant material. 4A coating: Anti-fog, anti-scratch, anti-static and anti-UV at 99.9%. Exceeds ANSI Z87+ and CSA Z94.3 requirements.

Order #	Mfg #	Description	Pack
34762513	T56505BS	Black/Grey Frame, Smoke Lens	1/ea.



TORNADO™ F5 SAFETY GLASSES

Both temple styles feature an adjustable lens angle and universal comfort nosebridge. Single-piece lens is designed with cup type integrated lateral protection for a close fit and peripheral coverage. Utilizes exclusive North 4A coating, protecting against fog, scratches, UV and static. Certified to CSA Z94.3 standards.

Order #	Mfg #	Description	Pack
347688601	T57505BL	Blue/Grey Frame, Curved Temples, Clear Lens	1/ea.
347688271	T57505B	Black/Red Frame, Curved Temples, Clear Lens	1/ea.
347688611	T57505BS	Black/Red Frame, Straight Temples, Smoke Lens	1/ea.



SPERIAN® A900CSA SERIES SAFETY EYEWEAR

Sport-inspired styling in a lightweight design for all day comfort. The A900CSA, with extra coverage to meet CSA Z94.3 standards, includes padded temple tips and nosepiece for enhanced comfort.

Order #	Mfg #	Description	Pack
341561101	A900CSA	Black Frame, Clear Lens	1/ea.
341548431❖	A901CSA	Black Frame, Clear Lens w/Anti-Fog Coating	1/ea.



SPERIAN® A700 SERIES SAFETY EYEWEAR

Economical and stylish eye protection. Sport temples with soft temple tip pads for comfortable fit. Secure wrap-around design. Polycarbonate, distortion-free, hardcoat lenses. Scratch resistance hard coating. Complies with CSA Z94.3 standard.

Order #	Mfg #	Description	Pack
341529371	A700	Clear Frame, Clear Lens	1/ea.
341529391❖	A702	Amber Frame, Amber Lens	1/ea.
341529381	A701	Grey Frame, TSR Grey Lens	1/ea.
341529401	A703	Grey Frame, Blue Mirror Lens	1/ea.
341529411	A704	Grey Frame, I/O Silver Mirror Lens	1/ea.



HARLEY-DAVIDSON® HD500 SERIES SAFETY GLASSES

Safety glasses feature impact resistant polycarbonate lenses that offer 99.9% UV protection. Scratch resistant hardcoat lens. Silver matte metal frame with special nickel-free coating complements an aggressive 10-base wrap-around dual lens for optimal field of vision. Meets ANSI Z87+ and CSA Z94.3 standards.

Order #	Mfg #	Description	Pack
341529571❖	HD501	Silver Frame, Clear Lens	1/ea.
341529581	HD502	Silver Frame, Grey Lens	1/ea.



HARLEY-DAVIDSON® HD800 SERIES SAFETY GLASSES

Defy convention while embracing compliance with the HD800 Series. Striking mirrored lenses coupled with a double 9-base frameless design make this style truly stand out from the rest. Bar and Shield logo and trailing flame design on silver temples with Harley-Davidson name engraved on lens. Lightweight at just 27 grams, the HD800 Series not only looks good, but is comfortable and easy to wear all day long. Meets ANSI Z87+ and CSA Z94.3 standards.

Order #	Mfg #	Description	Pack
341529661	HD800	Silver Frame, Orange Mirror Lens	1/ea.
341529681	HD802	Silver Frame, Silver Mirror Lens	1/ea.

WARNING! Harley-Davidson® Personal Safety Wear products should be used only in strict accordance with and adherence to the detailed instructions and warnings provided with the product. **WARNING!** Harley-Davidson® Personal Safety Wear products are not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.



©2008 H-D, all rights reserved. Manufactured by Honeywell Safety Products under license from Harley-Davidson Motor Company.



ASTROSPEC® OTG 3001 SAFETY GLASSES

Over-the-glasses style provides an economical alternative to prescription eyewear. Features include soft Duoflex® cushioned temples, adjustable ratchet lens inclination, universal nosebridge, and single panoramic polycarbonate lens with molded sideshields and browguard. Lenses available with Uvextreme® anti-fog coating and Ultra-Dura® hardcoat. Lifetime frame guarantee. Meets ANSI Z87.1-2003 High Impact and is certified to CSA Z94.3 standards.

Order #	Mfg #	Description	Pack
341531611	S2500	Black Frame, Clear Ultra-Dura® Lens	1/ea.
341531621	S2500C	Black Frame, Clear Uvextreme® Lens	1/ea.
341531731❖	S2510C	Blue Frame, Clear Uvextreme® Lens	1/ea.



PROTÉGÉ® SAFETY GLASSES

Proprietary Floating Lens™ technology offers increased flexibility for more comfortable fit. Features expandable wraparound brow, ultra-lightweight design at only 27½ grams, soft cushioned temple tip pads and soft, clear nose pads. Standard 6-base lens. Meets ANSI Z87.1-2003 High Impact and is certified to the requirements of CSA Z94.3.

Order #	Mfg #	Description	Pack
341533191	S4200X	Metallic Black Frame, Clear Uvextra™ Lens	1/ea.
341533231❖	S4201X	Metallic Black Frame, Grey Uvextra™ Lens	1/ea.



GENESIS® SAFETY GLASSES

Features dual 9-base, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact resistant polycarbonate lenses block 99.9% of UVA and UVB radiation. Lenses available with Uvextreme® anti-fog coating and Ultra-dura® hardcoat (enhanced chemical and scratch resistance). Lifetime frame guarantee. Meets ANSI Z87.1-2003 High Impact, is certified to CSA Z94.3 standards.

Order #	Mfg #	Description	Pack
341532271	S3200	Black Frame, Clear Ultra-Dura® Lens	1/ea.
341532281	S3200X	Black Frame, Clear Uvextreme® Lens	1/ea.
341532291	S3201	Black Frame, Espresso Ultra-Dura® Lens	1/ea.
341532311	S3202	Black Frame, Amber Ultra-Dura® Lens	1/ea.
341532331	S3203	Black Frame, Gold Mirror Ultra-Dura® Lens	1/ea.
341532341 ♦	S3204	Black Frame, SCT-Reflect 50 Ultra-Dura® Lens	1/ea.



GENESIS XC™ SAFETY GLASSES

Features extended wraparound lens and soft, flexible nose fingers. Using MMT - Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. Lenses available with the Ultra-dura® hardcoat and Uvextreme® anti-fog coating. Rx lens insert available. Meets ANSI Z87.1-2003 High Impact, is certified to CSA Z94.3 standards and Military Vo Ballistic Test for Impact (7x greater than ANSI requires).

Order #	Mfg #	Description	Pack
341532621	S3300	Black Frame, Clear Ultra-Dura® Lens	1/ea.
341532631	S3300X	Black Frame, Clear Uvextreme® Lens	1/ea.
341532641 ♦	S3301	Black Frame, Grey Ultra-Dura® Lens	1/ea.
341532781 ♦	S3350	Rx Insert	1/ea.



FLEX SEAL® GOGGLES

Lightweight, all-silicone body conforms to almost any facial profile and fits easily over most prescription eyewear. Stays soft and supple in extreme temperatures. Features low profile frame, optically correct polycarbonate lens and indirect ventilation system. Uvextreme® anti-fog coating on lens. Pivoting clips allow the wearer to position these goggles on a hard hat or adjust the headband above the ears. Meets ANSI Z87.1-2003 High Impact and is certified to CSA Z94.3 standards.

Order #	Mfg #	Description	Pack
341534001 ♦	S3400X	Navy Frame, Neoprene Headband	1/ea.
341532791 ♦	S3405X	Navy Frame, Fabric Headband	1/ea.



STEALTH® GOGGLES

Features lightweight comfort, low profile design, and toric lenses for superior optics and peripheral vision. Unique lens system for quick and simple replacement. Uvextreme® anti-fog coating and indirect ventilation system minimize fogging and direct air flow over the lens. Quick-adjust headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1-2003 High Impact and is certified to CSA Z94.3 standards.

Order #	Mfg #	Description	Pack
341533001	S3960C	Grey Frame, Clear Uvextreme® Lens w/Grey Neoprene Headband	1/ea.



V-MAXX GOGGLES

A sporty style goggle for increased wearer acceptance. Fits a wide variety of workers and can be worn over prescription eyewear and with most half-mask respirators. Clear body, clear polycarbonate lens. Meets ANSI Z87+ (High Impact) and CSA Z94.3 standards.



Order #	Mfg #	Description	Pack
341537631	11250800	Direct Vent, Elastic Headband	1/ea.
341537641	11250810	Indirect Vent, Neoprene Headband	1/ea.

**V-GARD® FULL-BRIM HARD HATS**

Non-slotted hats that meet all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class E), and CSA Z94.1-2005 with 1-Touch® and Fas-Trac® Suspensions (Class E). V-Gard hats meet the voluntary standard for low temperature [LT] and reverse donning as prescribed by ANSI/ISEA Z89.1-2009.

Order #	Mfg #	Description	Pack
308555661 ♦	475366	Yellow, Fas-Trac®	1/ea.
308555671 ♦	475367	Grey, Fas-Trac®	1/ea.
308553681 ♦	475368	Blue, Fas-Trac®	1/ea.
308553701	475369	White, Fas-Trac®	1/ea.
308555681 ♦	475370	Green, Fas-Trac®	1/ea.
308553711 ♦	475371	Red, Fas-Trac®	1/ea.
308599251 ♦	815570	Bright Lime Green, Fas-Trac®	1/ea.
308520351 ♦	10021292	Hi-Viz Orange, Fas-Trac®	1/ea.
3085962A1 ♦	10058321	White, 1-Touch®	1/ea.

**V-GARD® STANDARD CAPS**

Slotted caps that meet all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class E), and CSA Z94.1-2005 with 1-Touch® and Fas-Trac® Suspensions (Class E). V-Gard caps meet the voluntary standard for low temperature [LT] and reverse donning as prescribed by ANSI/ISEA Z89.1-2009.

Order #	Mfg #	Description	Pack
308503581	475358	White, Fas-Trac®	1/ea.
308553601	475359	Blue, Fas-Trac®	1/ea.
308553621	475360	Yellow, Fas-Trac®	1/ea.
308553611 ♦	475361	Orange, Fas-Trac®	1/ea.
308553691 ♦	475363	Red, Fas-Trac®	1/ea.
308529721 ♦	802972	Dark Blue, Fas-Trac®	1/ea.
3085226B1	815565	Bright Lime Green, Fas-Trac®	1/ea.
308536791 ♦	10061512	Hi-Viz Yellow/Green, Fas-Trac®	1/ea.
3085508B1 ♦	10057441	White, 1-Touch®	1/ea.

**REPLACEMENT SUSPENSIONS FOR V-GARD CAPS & HATS**

MSA's line of hard hat suspensions are available in a variety of sizes. Hard hat sold separately. The Fas-Trac® suspension is a 4-point webbed system with a large knob for easy adjustment. The Swing-Ratchet suspension gives the user the ability to adjust the ratchet's location without having to remove the suspension.

Order #	Mfg #	Description	Pack
3085079D1	10087220	6 1/2" - 8", Fas-Trac® Suspension	1/ea.
3085035A1 ♦	816645	6 1/2" - 8", Swing-Ratchet Suspension	1/ea.

**SUPEREIGHT® HARD HATS**

Cap-style hard hat with multi-directional sensor, 3-RW ratchet suspension and impact energy control system. Factory assembled. CSA Type 2 Class E and Ansi Certified Type II class E.

Order #	Mfg #	Description	Pack
347687501 ♦	SE201A000	White, 8-Pt.	1/ea.
347687901 ♦	SE203A000	Orange, 8-Pt.	1/ea.



Ears muffs, shield and cap sold separately



V-GARD® HELMET FRAMES

Sloped design helps material easily slide off the frame. Pivot location for use with earmuffs, half-mask respirators and more. V-shaped alignment guides for easy installation. Replaceable, optional debris control creates tight seal between frame and helmet. Heavy-duty, flat, rubber strap for easy and secure placement of frame on cap. Non-metal construction for use in electrical applications. ET frame is tested to temperatures of 350°F (176.7°C), reducing warping, cracking or crazing. Fits MSA slotted or non-slotted helmets. Meets the requirements for ANSI/ISEA Z87.1-2010 and CSA Z94.

Order #	Mfg #	Description	Pack
3085850D1❖	10115730	For Slotted Caps	1/ea.
3085851D1❖	10121266	For Slotted Caps, w/o Debris Control	1/ea.
3085852D1❖	10115822	Universal	1/ea.
3085853D1❖	10121268	Universal, w/o Debris Control	1/ea.



V-GARD® ACCESSORY ARC PROTECTION VISOR

These PC visors are engineered to help protect against impact and dangerous arc flash hazards. They are perfect for electrical workers and electricians working with high-voltage connections. Note: V-Gard® Arc Visors are intended to be used only with dielectric frames and helmets. Impact-rated protection. Extended length and width for greater coverage of face and neck. Meets the requirements for ANSI/ISEA Z87.1-2010 and CSA Z94.3.

Order #	Mfg #	Description	Pack
3085331E1❖	10115847	9 1/4" x 18" x .065"	1/ea.



V-GARD SELECT WINTER LINER

Two layers of fabric, flame retardant up to 50 washes. Water repellent. Quilted flaps allow uncompromised hearing protection levels when using earmuffs. Extended nape and wraparound collar for tucking into coat/shirt. The bright colour and reflective striping improve visibility.

Order #	Mfg #	Description	Pack
3085872D1❖	10118424	Bright Yellow-Green, w/Reflective Striping	1/ea.



V-GARD® PROPIONATE VISOR

Molded V-Gard® Visors are manufactured with hand-polished molds for unsurpassed, distortion-free optical clarity and impact resistance. Meets the requirements for ANSI/ISEA Z87.1-2010 and CSA Z94.3.

Order #	Mfg #	Description	Pack
3085340E1❖	10115855	8" x 17" x .098", Clear	1/ea.



V-GARD VALUE WINTER LINER

Provides excellent protection against cold with maximum economy. 100% cotton twill.

Order #	Mfg #	Description	Pack
3085868D1❖	10118419	Adjustable Chinstrap, White	1/ea.

**EVEREST WIDE BRIM HARD HATS**

6-point suspension, HDPE shell, ratchet adjustment. Wide brim hard hat for protection from the sun's harmful UV rays, rain and falling debris. Ideal for mining, forestry, utilities, the oil industry and other demanding environments. Accessory slots to accept face and hearing protection accessories. High quality suspensions designed for comfort, with forehead comfort band and crown pad, 2-level height adjustment and self centering. ANSI Type I Class E and CSA Type 1 Class E.

Order #	Mfg #	Description	Pack
347603181 ♦	A49R010000	White, Ratchet	1/ea.
347603191 ♦	A49R020000	Yellow, Ratchet	1/ea.

**MATTERHORN HARD HATS**

All-purpose lateral impact hard hat with foam liner, HDPE outer shell grooved for rigidity with rain trough and accessory slots. The ratchet suspension comes with forehead comfort band, crown pad and 4-point nylon web cradle with three-level height adjustment. The Quick-Fit suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen. Meets ANSI Type II Class E and CSA Type 2 Class E standards.

Order #	Mfg #	Description	Pack
347605031	A89R030000	Orange, Ratchet	1/ea.
347605011	A89R010000	White, Ratchet	1/ea.
347605021	A89R020000	Yellow, Ratchet	1/ea.
347605181 ♦	A89030000	Orange, Quick Fit	1/ea.
347605161	A89010000	White, Quick-Fit	1/ea.
347605171 ♦	A89020000	Yellow, Quick-Fit	1/ea.

**THE PEAK HARD HATS**

A versatile and dependable design, with grooved HDPE outer shell, rain trough and accessory slots. 4-point nylon suspension with pin lock or ratchet adjustment. All suspension choices feature 3-level height adjustment. Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 1 Class.

Order #	Mfg #	Description	Pack
347604201	A79R010000	White, Ratchet	1/ea.
347604221	A79R020000	Yellow, Ratchet	1/ea.
347604261 ♦	A79R060000	Light Blue, Ratchet	1/ea.
347604441	A79010000	White, Pin Lock	1/ea.
347604451	A79020000	Yellow, Pin Lock	1/ea.
347604491 ♦	A79060000	Light Blue, Pin Lock	1/ea.

**HARLEY-DAVIDSON® HARD HATS**

High-gloss, sleek hard hat. Smooth ratchet adjustment; quick and easy to set, allowing for proper safety cap alignment. Breathable and washable cushioned sweatband provides increased comfort for the wearer. Meets ANSI Z89.1-2003 impact standard and ANSI Type 1, Class E & G compliant. CSA certified.

Order #	Mfg #	Description	Pack
341529481 ♦	HDHAT10	Black w/Flames	1/ea.
341529491 ♦	HDHAT20	Silver w/Flames	1/ea.



WARNING! Harley-Davidson® Personal Safety Wear products should be used only in strict accordance with and adherence to the detailed instructions and warnings provided with the product. **WARNING!** Harley-Davidson® Personal Safety Wear products are not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.



©2008 H-D, all rights reserved. Manufactured by Honeywell Safety Products under license from Harley-Davidson Motor Company.



HIGH PERFORMANCE® FACE SHIELD HEADGEAR

Crowns are made of advanced, heat-resistant Noryl® material. Tough, 3C ratchet suspension comes standard. The suspension can be removed to accommodate a range of Fibre-Metal attachment systems. CSA Z94.3 SEI Certified.

Order #	Mfg #	Description	Pack
347688571	F400CSA	4" Crown	1/ea.
347688581	F500CSA	7" Crown	1/ea.



4199CL



4199DGN



4178CL



4178DGN



HIGH-PERFORMANCE® FACE SHIELD WINDOWS

Windows are preformed to the exact curve of crown protectors for easy installation, exact fit and perfect seal against dust, dirt and debris. They are .060" thick, yet cost no more than ordinary .040" thick windows. Easily fit over required protective spectacles or respirators. Fits F400, F500 Series & FH66, FM70, FM71. 8" x 16 1/2". Meets ANSI Z87.1 standards and certified to CSA Z94.3.

Order #	Mfg #	Description	Pack
614606241	4178CL	Clear, Wide Window	1/ea.
614606251	4178DGN	Dark Green, Wide Window	1/ea.



FACE SHIELD WINDOWS

Injection molded from propionate, which is superior to other window materials in every significant performance characteristic. Meet ANSI Z87.1+ standard for eye and face protection and CSA Z94.3. Fits F400, F500 Series, FH66, FM70, FM71.

Order #	Mfg #	Description	Pack
347642601	4199CL	Extended View, 9 3/4" x 19", Clear	1/ea.
347687535	4199DGN	Extended View, 9 3/4" x 19", Dark Green	12/pk.



FACE SHIELD HEADGEAR

Patented non-slip ratchet system is easy to use and offers precise size adjustments and comes with SmoothLok ratchet adjustment for quick, easy and perfect fit. Accepts a wide range of face shield styles. Large sparkguard provides excellent protection and cross strap adjusts to allow an exceptional fit.

Order #	Mfg #	Description	Pack
347695011	KHG5001	w/Large Assembly	1/ea.



FACE SHIELD WINDOWS

Die cut, flat, PET-G, co-polyester. Multi-fit attachment pattern (universal fit.) This pattern consists of seven slots strategically located to fit a wide variety of headgear and brackets. 0.40 mm thickness.

Order #	Mfg #	Description	Pack
347604661	A8150/40	8" x 15 1/2", Clear	1/ea.

Flat die cut Polycarbonate visor. 0.40 mm thickness.

Order #	Mfg #	Description	Pack
347604681	A8152/40	8" x 15 1/2", Clear	1/ea.

Pre-formed polycarbonate window. 7-Slots, fits a wide variety of headgear. 0.40 mm thickness.

Order #	Mfg #	Description	Pack
34768154	A8154	8" x 15 1/2", Clear	1/ea.
347604771	A8154G	8" x 15 1/2", Green	1/ea.



A815040



A815240



A8154




A8154G



3M™ FOAM EARPLUGS

Soft, comfortable earplugs that conform to unique shape of each ear canal for better hearing protection and comfort. Foam is tapered to fit most ear canals. Bright orange colour aids in compliance checks. Can be combined with earmuffs for additional protection. Corded plugs are not for use in the 3M™ Foam Ear Plug Dispenser. CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. Orange.

Order #	Mfg #	Description	Pack
665511005	1100	Uncorded, NRR 29	100 pr./bx.
665511045	1110	Corded, NRR 29	200 pr./bx.



3M™ E-A-R™ CLASSIC™ EARPLUGS

Made of moisture-resistant, flame-retardant foam. Slow recovery foam provides comfort with low pressure. Fits a wide range of ear canals. Test compatible with 3M™ E-A-Rfit™ Validation System. CSA Class AL. Yellow.

Order #	Mfg #	Description	Pack
665521395	312-1201	Uncorded, Poly Bag, NRR 29	200 pr./bx.
665522755	311-1101	Corded, Poly Bag, NRR 29	200 pr./bx.
665564465	310-1001	Uncorded, Pillow Pack, NRR 29	200 pr./bx.



3M™ E-A-R™ TAPERFIT™ 2 EARPLUGS

Soft, smooth, self-adjusting foam provides low-pressure comfort. Bright yellow colour aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. CSA Class AL. Yellow.

Order #	Mfg #	Description	Pack
665564195	312-1219	Uncorded, NRR 32	200 pr./bx.
665564445	312-1223	Corded, NRR 32	200 pr./bx.



3M™ E-A-R™ ULTRAFIT™ EARPLUGS

Features a proprietary, premolded, triple-flange design that fits comfortably in most ear canals. Poly bag keeps each pair of earplugs available or accessible for re-use. Soft polymer is washable and reusable. CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. Yellow.

Order #	Mfg #	Description	Pack
665564285	340-4003	Uncorded, Poly Bag, NRR 25	100 pr./bx.
665522475	340-4004	Corded, Poly Bag, NRR 25	100 pr./bx.



IMPORTANT: The 3M products in this catalogue must be used in accordance with OSHA regulations, and the user instructions, warnings, and limitations accompanying each product.



AIRSOFT® MULTIPLE-USE EARPLUGS

Four-flange design uses internal fins to create interlocking, noise-blocking barrier within the ear's air pocket. Firm stem and tapered shape facilitate easy insertion/removal. Regular size. CSA Class AL. Blue.

Order #	Mfg #	Description	Pack
341501315	AS-30R	Red Poly Cord, Reusable Case, NRR 27	50 pr./bx.
341501325	AS-30W	White Nylon Cord, Plastic Case, NRR 27	50 pr./bx.
341501335	DPAS-1	Uncorded, Poly Bag, NRR 27	100 pr./bx.
341501345	DPAS-30R	Red Poly Cord, Poly Bag, NRR 27	100 pr./bx.
341501365	DPAS-30W	White Nylon Cord, Poly Bag, NRR 27	100 pr./bx.



LASER LITE® EARPLUGS

Single-use earplug features self-adjusting polyurethane foam that expands to fit virtually every wearer. Contoured T-shape for easy insertion and wear. CSA Class AL. Vibrant magenta/yellow colour.

Order #	Mfg #	Description	Pack
341501475	LL-1	Uncorded, Poly Bag, NRR 32	200 pr./bx.
341501495	LL-30	Corded, Poly Bag, NRR 32	100 pr./bx.



LASER TRAK® METAL DETECTABLE EARPLUGS

Offers high visual and metal detectability in a single-use earplug. Laser Trak's low-pressure polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers easy handling. A metal grommet on the earplug aids in metal detection, especially in process industries. CSA Class AL. Orange/blue.

Order #	Mfg #	Description	Pack
341501665	LT-30	Corded, Poly Bag, NRR 32	100 pr./bx.



SMARTFIT® MULTIPLE-USE EARPLUGS

Multiple-use earplugs feature Conforming Material Technology™ which uses body heat to adapt triple-flange design to shape of ear canal. Fit almost every wearer. Includes HearPack® storage case and detachable cord system. CSA Class AL. Orange.

Order #	Mfg #	Description	Pack
341502115	SMF-30	Detachable Cord, NRR 25	100 pr./bx.





MAX® EARPLUGS

Maximum noise-blocking performance in a single-use earplug. Easy-to-insert contoured shape resists backing out of ear canal, while soft foam delivers long-lasting comfort. Smooth, soil resistant skin. CSA Class AL. Coral.

Order #	Mfg #	Description	Pack
341501695	MAX-1	Uncorded, Poly Bag, NRR 33	200 pr./bx.
341501735	MAX-30	Corded, Poly Bag, NRR 33	100 pr./bx.
341539575	MAX-1-D	Uncorded, LS-500 Dispenser Refill, NRR 33	500 pr./bx.
341501651	LS-500	Ear Plug Dispenser	1/ea.



QUIET® EARPLUGS

Multiple-use earplugs feature patented no-roll-down design, contoured shape and built-in flexible stem for easy handling and fit. For continuous protection, wash earplugs with soap and warm water. Packaged in poly bags. Regular size. CSA Class AL. Orange.

Order #	Mfg #	Description	Pack
341502045	QD1	Uncorded, NRR 26	100 pr./bx.
341502065	QD30	Corded, NRR 26	100 pr./bx.



GLIDE™ FOAM TWIST IN SINGLE USE EARPLUGS

Simply push and twist to find your fit. Unique multi-curved stem rotates for a custom fit. Large handle on curved stem for easy insertion and removal. Cord can be attached at any desired length. Look for the bright green colour as a symbol of Moldex quality. CSA Class AL. Green.

Order #	Mfg #	Description	Pack
222269405	6940	Uncorded, NRR 26	100 pr./bx.
222269455	6945	Corded, NRR 26	100 pr./bx.



GLIDE™ TRIO TRIPLE FLANGE REUSABLE EARPLUGS

Simply push and twist to find your fit. Unique multi-curved stem rotates for a custom fit. Large handle on curved stem for easy insertion and removal. Soft triple flange plug can be washed and reused. Cord can be attached at any desired length. CSA Class AL. Green.

Order #	Mfg #	Description	Pack
222264455	6445	Corded, NRR 27	50 pr./bx.



MAX LITE® EARPLUGS

Ideal for smaller ear canals. Low-pressure polyurethane foam expands gently inside ear canal for comfortable long-term wear, while contoured T-shape is easy to handle. Single-use design. CSA Class AL. Green.

Order #	Mfg #	Description	Pack
341501595	LPF-1	Uncorded, Poly Bag, NRR 30	200 pr./bx.
341501615	LPF-30	Corded, Poly Bag, NRR 30	100 pr./bx.
341539545	LPF-1-D	Uncorded, LS-500 Dispenser Refill, NRR 30	500 pr./bx.
341501651	LS-500	Ear Plug Dispenser	1/ea.



COMETS® REUSABLE EARPLUGS

Hearing protection at your fingertip. A user friendly fingerpocket makes Comets® easy to insert. Extra soft material and an air-cushioned tip provide all-day comfort. Soft triple flange adjusts to most size ear canals to hold the plug securely in place. CSA Class BL. Green.

Order #	Mfg #	Description	Pack
222200505	6490	Uncorded, NRR 25	50 pr./bx.
222200515	6495	Corded, NRR 25	50 pr./bx.



GOIN' GREEN® FOAM EARPLUGS

Officially Licensed Earplugs of NASCAR® feature extra soft, low-pressure, PVC-free tapered foam for comfortable fit. Available with recyclable PlugStation® dispenser. NASCAR is a registered trademark of The National Association for Stock Car Auto Racing, Inc. The NASCAR trademarks are used under license by The National Association for Stock Car Auto Racing, Inc.®. CSA Class AL. Green.

Order #	Mfg #	Description	Pack
222200575	6620	Uncorded, NRR 33	200 pr./bx.
222200585	6622	Corded, NRR 33	100 pr./bx.
222200615	6646	Uncorded PlugStation®, NRR 33	250 pr./disp.
222200625	6647	Uncorded PlugStation®, NRR 33	500 pr./disp.



JETZ™ REUSABLE EARPLUGS

Ideal choice for cost effective hearing protection for most high noise environments. The green swirls and bright green cord denote Moldex quality. Special grip at end of plug stem makes insertion and removal simple, even when wearing gloves. Extra-soft material and triple flange design gently seals without pressure for all-day comfort. Cord attachment with locking loop helps keep optional braided cloth cord securely in place. Washable, reusable and 100% PVC-free. CSA Class AL. Green.

Order #	Mfg #	Description	Pack
222264505	6450	Uncorded, NRR 27	50 pr./bx.
222264555	6455	Corded, NRR 27	50 pr./bx.



MELLOWS™ FOAM EARPLUGS

Made of extra-soft, extra-light foam. Tapered shape fits easily in ear canal and gently and snugly seals without pressure. Appropriate protection for mid- to high-level noise areas. Non-irritating, 100% PVC-free. CSA Class AL. Hi-viz bright orange.

Order #	Mfg #	Description	Pack
222268205❖	6820	Uncorded, NRR 30	200 pr./bx.
222268405❖	6840	Corded, NRR 30	100 pr./bx.
222268465❖	6846	PlugStation®, NRR 30	250 pr./disp.
222268475❖	6847	PlugStation®, NRR 30	500 pr./disp.



PURA-FIT® FOAM EARPLUGS

Designed with longer length for easy fitting and removal. Tapered shape allows for easy insertion into most ear canals. Features bright green colour for easy compliance checks and non-irritating, soft PVC-free foam. Hygienically packaged in paper pouches. CSA Class AL. Green.

Order #	Mfg #	Description	Pack
222268005	6800	Uncorded, NRR 33	200 pr./bx.
222231035	6900	Corded, NRR 33	100 pr./bx.
222200701❖	6844	PlugStation®, NRR 33	250 pr./disp.
222268451	6845	PlugStation®, NRR 33	500 pr./disp.



METEORS® DISPOSABLE EARPLUGS

Foam roll-down earplugs feature unique undercut shape with smaller diameter that more comfortably fits narrower part of ear canal. Larger base provides proper insertion, fit and removal. The 100% PVC-free slow-recovery foam molds with individual contours of ear canal and soft, smooth surface will not irritate the skin. CSA Class AL. Green.

Order #	Mfg #	Description	Pack
222268705	6870	Uncorded, NRR 33	200 pr./bx.
222269705❖	6970	Corded, NRR 33	100 pr./bx.
222268755	6875	PlugStation®, NRR 33	500 pr./disp.



SPARKPLUGS® FOAM EARPLUGS

Officially Licensed Earplugs of NASCAR® feature random multi-colour swirl design. Extra soft, PVC-free foam and tapered shape fit snugly and comfortably. Metal detectable version for food processing applications comes with metal detectable cord. CSA Class AL. Multicolour.

Order #	Mfg #	Description	Pack
222200545	6604	Uncorded, NRR 33	200 pr./bx.
222228235	6654	Corded, NRR 33	100 pr./bx.
222266155	6615	Metal Detectable, NRR 33	100 pr./bx.
222200591	6644	PlugStation®, NRR 33	250 pr./disp.
222200601	6645	PlugStation®, NRR 33	500 pr./disp.



ROCKETS® REUSABLE EARPLUGS

Easy-grip handle allows for easy insertion and air bubble in tip provides cushioned comfort. Each pair includes Pocket-Pak® carrying case. Washable and reusable. This metal detectable model is ideal for food processing use and comes with metal detectable cord. CSA Class AL. Blue.

Order #	Mfg #	Description	Pack
222200465	6400	Purple, Uncorded, NRR 27	50 pr./bx.
222256905	6405	Purple, Corded, NRR 27	50 pr./bx.
222200475	6420	Purple, Cloth Corded, NRR 27	50 pr./bx.
222256895	6415	Blue, Corded, Metal Detectable, NRR 27	50 pr./bx.



JAZZ BAND® CANAL CAP HEARING PROTECTOR

Comfortable alternative to earmuffs. Features optional breakaway neck cord that allows the Jazz Band® to hang down around user's neck when not in use. Designed to not interfere with safety glasses. Soft, PVC-free foam pods gently cap the ear canal providing maximum comfort. Packaged with spare pods. CSA Class AL.

Order #	Mfg #	Description	Pack
222265065❖	6506	Jazz Band®, NRR 25	10/bx.
222265045	6504	Replacement Pods (5 Pair & 1 Neck Cord/Bag)	5/bg.



WAVE BAND® CANAL CAP HEARING PROTECTOR

Comfortably worn under the chin, the sleek wave design allows the band to float, keeping it away from the wearer's body and clothing creating freedom of movement and reducing the problem of noise transmission. Soft foam pods provide exceptional comfort and are angled to the ideal position for the ear canal. CSA Class BL.

Order #	Mfg #	Description	Pack
22226520❖	6520	Wave Band®, NRR 22	10 bx.
222265055❖	6505	Replacement Pods (5 Pair/Bag)	5/bg.

Earplugs & Earmuffs

**DECIDAMP2® EARPLUGS**

Disposable earplugs offer lightweight and expandable fit with soft, slow recovery vinyl foam that expands gently for comfortable long-term wear. Non-irritating and non-toxic foam prevents irritation. Fits most earcanals. One pair per sealed plastic pouch. CSA Class AL. White.

Order #	Mfg #	Description	Pack
347632135	280005	Uncorded, NRR 29	200 pr./bx.
347650595	280006	Corded, NRR 29	200 pr./bx.

**3M™ PELTORM™ OPTIME™ 101 BEHIND-THE-HEAD EARMUFFS**

Fit well with most helmets, eyewear and other safety equipment. For noise levels up to 101 dBA. Stainless steel band distributes weight for low-pressure fit. Liquid/foam filled earmuff cushions. CSA Class A.

Order #	Mfg #	Description	Pack
665570211 ♦	H7B	Behind-The-Head, NRR 26	1/ea.

**3M™ PELTORM™ OPTIME™ 101 OVER-THE-HEAD EARMUFFS**

For noise levels up to 101 dBA, these over-the-head earmuffs provide effective hearing protection. Stainless steel headband distributes weight for low-pressure fit. Earcup pivot points that tilt for optimum comfort and efficiency. Liquid/foam filled earmuff cushions. Colour-coding for compliance sighting. CSA Class A.

Order #	Mfg #	Description	Pack
665570071	H7A	Over-The-Head, NRR 27	1/ea.

**3M™ PELTORM™ OPTIME™ 101 CAP-MOUNT EARMUFFS**

For noise levels up to 101 dBA. Feature a stainless steel headband for consistent force and effective hearing protection. Cap-mounted design allows for easy use with most hard hats. Liquid/foam filled ear cushions. Colour-coding for compliance sighting. CSA Class A.

Order #	Mfg #	Description	Pack
665564431	H7P3E	Cap-Mount, NRR 24	1/ea.

**WARNING!**

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, User Instructions, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

NRR footnote

*Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



LEIGHTNING® NOISE-BLOCKING EARMUFFS

Steel wire construction stands up to daily use and abuse without compromising comfort. Padded foam headband and super soft ear cushions eliminate "squeezing pressure" on the head. Patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance. Tested to ANSI S3.19-1974. CSA Class AL.

Order #	Mfg #	Description	Pack
341500281	1010924	L3 Leightning®, Headband, NRR 30, Black	1/ea.



THUNDER® NOISE-BLOCKING EARMUFFS

Unique dual-headband offers better positioning and breathability, and non-deforming outer headband minimizes pressure. Dielectric construction withstands use and abuse while protecting workers in electrical environments. Features patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance. Tested to ANSI S3.19-1974. CSA Class AL.

Order #	Mfg #	Description	Pack
341536791	1010970	T3 Thunder®, Headband, NRR 30, Black	1/ea.



SYNC™ STEREO EARMUFFS

A stereo earmuff that's in sync with proper levels of hearing protection, high-fidelity sound and your ability to listen to portable audio devices safely at work and at home. Studies have shown that workers allowed to wear hearing protectors that integrate music or AM/FM radios are more productive and motivated on the job. With these earmuffs, not only can workers be more productive, they will enjoy their listening experience even more. Includes 3.5 mm input cable, plugs into most MP3 players, mobile phones, and other personal audio devices. CSA Class A.

Order #	Mfg #	Description	Pack
341561311	1030110	NRR 25	1/ea.



VIKING™ NOISE-BLOCKING EARMUFFS

Flexibility for wearing earmuffs in multiple positions (over-the-head, behind-the-head or under-the-chin). Can be worn with hard hats, face shields, respirators and other PPE. Robust, non-deforming dielectric construction. Features patented Air Flow Control™ technology for optimal attenuation and snap-in ear cushions. Includes elastic headband strap for better positioning. Tested to ANSI S3.19-1974. CSA Z94.2 certified. CSA Class AL.

Order #	Mfg #	Description	Pack
341500321	1010927	V3 Viking™, Headband, NRR 29, Black/Silver	1/ea.

Earmuffs

**M1 PREMIUM EARMUFFS**

SoftCoat® covering on cups and yoke helps muffle sound transmission. Black-chrome, spring-steel headband resists fatigue, folds into a super-compact size for easy storage and helps maintain stability without twisting out of shape like other wire-band earmuffs. Six different adjustment points for comfortable fit for most head sizes. 100% PVC-free. Tested to ANSI S3.19-1974. CSA Class AL.

Order #	Mfg #	Description	Pack
222261001 ♦	6100	Iridescent Cups, NRR 29	1/ea.

**M2 MULTI-POSITION EARMUFFS**

Low profile design can be worn over-the-head, behind-the-head or under-the-chin. Features the SoftCoat® covering which helps muffle transmitted noise. Special grips molded into cups make fitting and alignment quick and easy. Cup adjustment is infinitely variable, distributing pressure evenly. 100% PVC-free. Tested to ANSI S3.19-1974. CSA Class AL.

Order #	Mfg #	Description	Pack
222262001 ♦	6200	Iridescent Cups, NRR 26	1/ea.

**M3 CAP-MOUNTED EARMUFFS**

SoftCoat™ covering helps muffle transmitted noise. Exclusive iridescent colour and curvy shape for great looks. Easily slots into virtually any hard hat. Usage and standby positions. Can be locked in the standby position for storage. Cup adjustment is infinitely variable, distributing pressure evenly and comfortably. 100% PVC-free. Tested to ANSI S3.19-1974. CSA Class AL.

Order #	Mfg #	Description	Pack
222200451 ♦	6300	Iridescent Cups, NRR 24	1/ea.

**Z2 MULTI-POSITION EARMUFFS**

Cost effective muff features a three position headband. Sleek, curvy shape and special molded grips make fitting and alignment quick and easy. Over-the-head fit. Extra wide, plastic headband doesn't twist out of shape. Replaceable soft foam pads cushion your ears. 100% PVC-free. Tested to ANSI S3.19-1974. CSA Class AL.

Order #	Mfg #	Description	Pack
222200431 ♦	6201	Multi-Position, NRR 25	1/ea.

**LEFT/RIGHT® EARMUFFS**

Headbands breakthrough design simulates the heads curves to provide a comfortable and stable fit, balancing muffs with ear cup angle. Dedicated right and left ear cups are designed to fit your ears and are shaped differently from front to back. Ear cups can be adjusted individually, allowing close coverage even when ears are not symmetrically placed on head. CSA Class A.

Order #	Mfg #	Description	Pack
3085998C1 ♦	10087439	Low, White, NRR 21	1/ea.
3085000D1 ♦	10087429	Medium, Blue, NRR 25	1/ea.
3085004D1 ♦	10087422	High, Yellow, NRR 28	1/ea.


3M
3M™ PARTICULATE RESPIRATOR 8210V, N95

Proprietary 3M™ Cool Flow™ valve is designed for easy exhalation and reduces heat build-up inside respirator to help keep wearer more comfortable. Features adjustable nose clip and 2-strap design with dual point attachment. Ideally suited for many work settings that involve heat, humidity, or longer periods of wear. NIOSH approved.

Order #	Mfg #	Description	Pack
665582235❖	8210V	N95, w/Cool Flow™ Valve	10/bx.


3M
3M™ PARTICULATE RESPIRATOR 9210, N95

Three-panel respirator is uniquely designed to help provide comfortable, reliable worker protection against non-oil based particles. Suggested applications include grinding, sanding, sweeping, bagging, and other operations that create dust. Meets NIOSH 42 CFR 84 N95 requirements.

Order #	Mfg #	Description	Pack
665592105❖	9210	N95	20/bx.


3M
3M™ PARTICULATE RESPIRATORS, N95

Designed to help provide comfortable, reliable worker protection against certain non-oil based particles in work applications including grinding, sanding, sweeping, bagging and other dusty operations. Lightweight construction helps promote greater worker acceptance and comfort. Meets NIOSH 42 CFR 84 N95 requirements.

Order #	Mfg #	Description	Pack
665501755	8210	N95	20/bx.
665585115	8511	N95, w/Cool Flow™ Valve	10/bx.


3M
3M™ PARTICULATE WELDING RESPIRATOR

Suggested applications include welding, brazing, soldering, torch cutting, and metal pouring, as well as grinding, sanding, sweeping, bagging and other dusty/hot operations. Features the 3M™ Cool Flow™ Exhalation Valve. Flame resistant layers, not a substitute for a face shield. NIOSH approved.

Order #	Mfg #	Description	Pack
665582145❖	8212	N95, w/Faceseal	10/bx.

3M
3M™ PARTICULATE RESPIRATORS, P95

Excellent choice for those who have work environments that may contain certain oil and non-oil based particles. Features the 3M™ Cool Flow™ Exhalation Valve, comfortable faceseal (8271) and M-noseclip to help provide a custom fit and secure seal. Meets NIOSH 42 CFR 84 N95 requirements.

Order #	Mfg #	Description	Pack
665514595	8271	P95	10/bx.
665514675	8577	P95, w/Nuisance Level Organic Vapor Relief	10/bx.


WARNING!

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the USER Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M OH&ESD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



SAF-T-FIT® PLUS DISPOSABLE RESPIRATOR

Features low breathing resistance, thereby reducing wearer fatigue. Light weight, incorporates a humidity-resistant filter media for reduced eyewear fogging, and provide durable, latex-free suspension straps for a comfortable fit. They come with a colour-coded nose clip for easy size recognition.

Order #	Mfg #	Description	Pack
341523215❖	14110391	Medium/Large, N95	20/bx.



AIRWAVE® DISPOSABLE RESPIRATORS

BREATHES EASIER THAN A VALVE. Exclusive easy-breathing wave design. Less resistance, better breathability. Ideal where unvalved respirators are preferred. Pinch-free nose bridge. Soft foam nose cushion and contour shaped for comfort. FlexFit™ comfort waves flex with you. Cool inside without a valve. Filter is protected on both sides by Dura-Mesh®. Softspun® lining is comfortable against the face. The 4600 Series features an adjustable cloth strap that is cool and comfortable. Hangs from neck when not in use. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003.

Order #	Mfg #	Description	Pack
222242005❖	4200N95	Medium/Large, N95	10/bx.
222260955❖	4600N95	Medium/Large, w/SmartStrap®, N95	10/bx.



DIRT DAWGS® 1200N95 PARTICULATE RESPIRATOR

Dura-Mesh® shell protects filter media from dirt and prevents mask from collapsing. Dirt Dawgs® offer N95 protection for a variety of industrial applications at an economical price. Contour-molded nosebridge seals easily and comfortably without user having to pinch metal noseband. Softspun® inner lining is soft to the touch. NIOSH certified to have a filter efficiency of 95% or greater against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

Order #	Mfg #	Description	Pack
222220955	1200N95	Medium/Large, N95	20/bx.



2360P100 PARTICULATE RESPIRATOR

Dura-Mesh® shell protects the filter media so it stays cleaner looking longer. Resists collapsing in regular use and even under hot and humid conditions. Molded nosebridge with soft foam face cushion eliminates pressure points for added comfort. Also features adjustable cloth straps, Ventex® exhalation valve, and Softspun® lining for increased comfort and durability. NIOSH certified to have a filter efficiency of 99.97% against oil and non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

Order #	Mfg #	Description	Pack
222200285❖	2360P100	Medium/Large, P100	5/bg.



2200N95



2300N95

2-STRAP PARTICULATE RESPIRATORS

Dura-Mesh® shell protects the filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Softspun® lining gives added comfort and durability. Contour molded nosebridge with a soft foam nose cushion for an easy, comfortable fit. The 2300N95 Series features an exhale valve and is suitable for most welding applications. Exhale valve reduces hot air buildup, reducing breathing resistance and keeping workers cooler longer. All meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

Order #	Mfg #	Description	Pack
222205555	2200N95	Medium/Large, w/o Valve, N95	20/bx.
222200215	2207N95	Low Profile, w/o Valve, N95	20/bx.
222200955	2300N95	Medium/Large, w/Valve, N95	10/bx.
222200255	2307N95	Low Profile, w/Valve, N95	10/bx.



EZ-ON® N95 PARTICULATE RESPIRATORS

EZ-ON®, the first and only NIOSH approved adjustable single strap N95 Respirator. Eliminates the struggle of putting on and taking off a respirator. Adjustable strap for custom fit. Head harness is easier to wear with longer hair styles. Flexwing® design for comfortable one strap fit. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1.

Order #	Mfg #	Description	Pack
222200235❖	EZ23	Medium/Large, w/Ventex® Valve, N95	10/bg.
222200975❖	EZ22	Medium/Large, w/o Valve, N95	10/bg.


**NUISANCE RELIEF N95 PARTICULATE RESPIRATORS**

Added carbon layer helps filter out nuisance levels of organic vapors (2400N95) and acid gases (2500N95) less than OSHA PEL. Exhale valve reduces hot air build-up to keep workers cooler. Dura-Mesh® shell resists collapsing even in hot, humid work environments. Contour molded nose bridge with soft foam nose cushion provides all-day comfort. SoftSpun® lining increases comfort and durability. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1. NIOSH certified to have a filter efficiency of 95% or greater against particulate aerosols free of oil.

Order #	Mfg #	Description	Pack
22225005❖	2500N95	Medium/Large, Acid Gas, N95	10/bg.
222204525	2400N95	Medium/Large, w/Nuisance Organic Vapor, N95	10/bg.


**N99 PREMIUM WELDING PARTICULATE RESPIRATORS**

Offers a higher level of protection. Workers stay cooler with an exhale valve that reduces breathing resistance and hot air buildup. Exclusive Dura-Mesh® shell protects filter media so it stays cleaner looking longer. Resists collapsing in heat and humidity so respirator holds its shape longer. Suitable for most welding applications. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. If used for welding, wear appropriate eye and face protection.

Order #	Mfg #	Description	Pack
222210995	2310N99	Medium/Large, w/Valve, N99	10/bg.
222200265❖	2315N99	Medium/Large, w/Adjustable Cloth Straps & Valve, N99	10/bg.


**R95 PARTICULATE RESPIRATOR W/HANDYSTRAP®**

NIOSH certified under 42CFR84 regulations to have a filter efficiency level of 95% or greater against oil and non-oil based particulate aerosols up to 10x PEL. HandyStrap allows mask to conveniently hang down around the user's neck so it's always ready for use. Exclusive Ventex® valve lets the hot air out faster so breathing resistance is reduced and workers stay cooler. Exclusive Dura-Mesh® shell protects the filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. 100% PVC-Free. Soft foam nose cushion for added comfort and no pressure points. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1.

Order #	Mfg #	Description	Pack
222227405❖	2740R95	Medium/Large, R95	10/bx.


**N95 PARTICULATE RESPIRATOR W/HANDYSTRAP®**

HandyStrap® with buckle allows mask to hang down around neck when not in use. Stretch cloth strap feels cool and comfortable against the skin. Contoured nose bridge with soft foam nose flange allows all-day comfort. Dura-Mesh® shell resists collapsing in heat and humidity. Softspun® lining for added comfort and durability. NIOSH certified to have a filter efficiency of 95% or greater against particulates free of oil. For hot, humid and dusty environments. No oils present.

Order #	Mfg #	Description	Pack
222271455	2600N95	Medium/Large, N95	15/bx.


**N95 PARTICULATE RESPIRATORS W/HANDYSTRAP®**

HandyStrap® allows mask to hang down around user's neck when not in use. Exclusive Dura-Mesh® shell resists collapsing in heat and humidity. Molded nosebridge seals easily without a metal nose band. Naturally contoured facepiece and Softspun® lining give respirator added comfort and durability, as well as relief on pressure points. The 2700N95 Series features the Ventex® valve. The 2800N95 Series features an added carbon layer that helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). Suitable for most welding applications. NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free of oil. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

Order #	Mfg #	Description	Pack
222200305	2700N95	Medium/Large, w/ Ventex® Valve, N95	10/bx.
222200355❖	2800N95	Medium/Large, w/Added Carbon Layer, N95	10/bx.


**N100 PARTICULATE RESPIRATORS W/HANDYSTRAP®**

HandyStrap® allows mask to conveniently hang down around the user's neck so it's always ready for use, preventing premature disposal. Exclusive Dura-Mesh® shell protects the filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Contour-molded nosebridge with soft foam face cushion for an easy, comfortable fit. No metal noseband to adjust, and the seal is maintained without pressure points. Softspun® lining for added comfort and durability. NIOSH certified to have a filter efficiency of 99.97% effective against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

Order #	Mfg #	Description	Pack
222200325❖	2730N100	Medium/Large, N100	5/bx.



CFR-1 RESPIRATOR SYSTEMS

Comfort fit respirator system. The next generation of disposable dust masks. Soft facepiece seal provides comfort and protection. Built-in exhalation valve removes air quicker for easier and cooler breathing. Facepiece design prevents filters from collapsing. Adjustable harness ensures a comfortable and secure fit and provides a mechanism to park the respirator when not in use. Includes one N95 filter, reusable storage bag and instruction manual. NIOSH approved to TC-84A-3875.

Order #	Mfg #	Description	Pack
347642001	4200S	Small	1/ea.
347642011	4200M	Medium	1/ea.
347642021	4200L	Large	1/ea.
347642955	42N95	N95 Particulate Filter Replacement	10/pk.



Filters sold separately



3M™ HALF FACEPIECE 7500 SERIES REUSABLE RESPIRATORS

Soft sealing surface and uniquely designed 3M™ Cool Flow™ exhalation valve for enhanced comfort. Made from a durable silicone and can be used with any of the 3M™ filters and cartridges.

Order #	Mfg #	Description	Pack
665514051	7501	Small	1/ea.
665514061	7502	Medium	1/ea.
665514801	7503	Large	1/ea.



3M™ FULL FACEPIECE 6000 SERIES REUSABLE RESPIRATORS

Facepiece is made of a silicone rubber for enhanced comfort and durability. Features large, hard-coated lens providing user a wide field of view. Low maintenance design with limited spare parts for convenience.

Order #	Mfg #	Description	Pack
665513581	6700	Small	1/ea.
665513621	6800	Medium	1/ea.
665513871	6900	Large	1/ea.



3M™ REPLACEMENT CARTRIDGES, FILTERS & ACCESSORIES

Use with 3M™ respirators 5000, 6000, 7000 and FF-400 Series, according to NIOSH approvals. Designed to protect against a variety of gases, vapors and particulate hazards.

Order #	Mfg #	Description	Pack
665511655	2071	Particulate Filter P95	2/pk.
665511675	2078	Particulate Filter P95 w/Nuisance Level Organic Vapor*/Acid Gas** Relief & Ozone Protection***	2/pk.
665520915	2091	Particulate Filter P100	2/pk.
665511695	2097	Particulate Filter P100 w/Nuisance Level* Organic Vapor Relief & Ozone Protection***	2/pk.
665512065	5N11	Particulate Filter N95	10/bx.
665512075	5P71	Particulate Filter P95	1/ea.
665522915	2291	Advanced Particulate Filter, P100	2/pk.
665522975	2297	Advanced Particulate Filter, P100 w/Nuisance Level* Organic Vapor Relief	2/pk.
665513305	6001	Organic Vapor Cartridge	2/pk.
665513375	60923	Cartridge/Filter Organic Vapor/Acid Gas/P100	2/pk.
665513395	60925	Cartridge/Filter Formaldehyde/Organic Vapor/P100	2/pk.
665513405	60926	Cartridge/Filter Multi-Gas/Vapor/P100	2/pk.
665513425	60929	Cartridge/Filter Mercury Vapor/Chlorine Gas/P100	2/pk.
665512085	501	Filter Retainer	5/bx.
665512105	504	Respirator Cleaning Wipes	100/bx.

*Nuisance level organic vapors refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against organic vapors.

**Nuisance level acid gases refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against acid gases.

***3M™ recommended for ozone protection up to 10x OSHA PEL or applicable government occupational exposure limits, whichever is lower. (Not NIOSH certified for use against ozone). Only 3M™ filters 2000 Series, 7093, 5N11 or 5P71 are approved for use with 3M™ 5000 Series respirators.



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the USER Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards 294.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M OH&ESD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.





7000 REUSABLE HALF-MASK RESPIRATORS

Lightweight design plus extra-wide sealing area provides all-day comfort. Mask drops down for convenient storage around neck or locks down for custom fit. Features adjustable head cradle and curved neck buckles for extra comfort. Low profile design allows a wide field of vision. Fits under welding helmets and with safety glasses. Easy to clean and maintain. Multi-gas respirators come pre-assembled with Smart® cartridges which replace up to five gas/vapor cartridges, making cartridge selection easier for workers. Includes the P100 filter disk which is lighter than traditional filter cartridges. NIOSH approved.

Order #	Mfg #	Description	Pack
222270011	7001	Small, P100	1/ea.
222270021	7002	Medium, P100	1/ea.
222270031	7003	Large, P100	1/ea.
222276011	7601	Small, Multi-Gas	1/ea.
222276021	7602	Medium, Multi-Gas	1/ea.
222276031	7603	Large, Multi-Gas	1/ea.



9000 REUSABLE FULL FACEPIECE RESPIRATORS

Exclusive over-molded lens design eliminates usual heavy-clamping frame. Lightweight respirator features stand away head harness with extra wide opening for easy on/off. Strap buckles are securely molded directly to facepiece for rugged use and ease of adjustment. Coated lens for scratch resistance. NIOSH approved.

Order #	Mfg #	Description	Pack
222290021	9002	Medium	1/ea.
222290031	9003	Large	1/ea.



REPLACEMENT CARTRIDGES, ADAPTER & PRE FILTER RETAINER

A variety of parts for use with 7000 Series half-mask respirators or 9000 Series full facepiece respirators. NIOSH approved.

Order #	Mfg #	Description	Pack
222272001	7200	Acid Gas Cartridge	2/bg.
222274001	7400	Ammonia/Methylamine Cartridge	2/bg.
222275001	7500	Formaldehyde Cartridge	2/bg.
222276001	7600	Multi-Gas/Vapor Smart® Cartridge	2/bg.
222273001	7300	Organic Vapor/Acid Gas Cartridge	2/bg.
222271001	7100	Organic Vapor Cartridge	2/bg.
222271401	7140	Organic Vapor/P100 Combination Cartridge	2/bg.
222243425	8910	N95 Particulate Filter	2/bg.
222228970	8970	N95 Particulate Pre Filter	2/bg.
222279901	7990	P100 Cartridge Filters	2/bg.
222279601	7960	P100 Filter Disk Plus Nuisance OV	2/bg.
222279401	7940	P100 Filter Disk	2/bg.
222276401	7640	P100 Multi-Gas/Vapor	2/bg.
222279201	7920	Piggyback Adapter	2/bg.
222270201	7020	Pre Filter Retainer, Purple	2/bg.





ADVANTAGE 200 LS RESPIRATORS

Lighter and softer facepiece is made from a clear blue formulation of thermoplastic rubber to give workers more comfort and stability. AnthroCurve sealing surface instantly conforms to each wearer's unique facial characteristics, while the MultiFlex system equalizes pressure on the face seal area. Provides exceptional stability, so the respirator will not collapse during wear. NIOSH approved. EN 140. AS/NZS. NSW Department of Mines Registration.

Order #	Mfg #	Description	Pack
308599141	815448	Small, Facepiece Only, w/Single Neckstrap	1/ea.
308599131	815444	Medium, Facepiece Only, w/Single Neckstrap	1/ea.
308599151	815452	Large, Facepiece Only, w/Single Neckstrap	1/ea.



ADVANTAGE RESPIRATOR CARTRIDGES

Filter cartridges protect against dusts, particles and mists. Chemical cartridges protect against gases and vapors. Combination cartridges deliver protection from both particulate and gaseous contaminants. All cartridges are interchangeable between the Advantage respirators and are colour-coded to indicate the type of protection offered. Approved under 42 CFR Part 84.

Order #	Mfg #	Description	Pack
308598981	815355	GMA, OV Cartridge	2/pk.
308553591	815359	GME, Multi-Gas Cartridge	2/pk.
308599031	815362	GMA-P100, OV Cartridge	2/pk.
308553661	815366	GME-P100, Multi-Gas Cartridge	2/pk.
308599075	815369	P100, Low Profile Cartridge	2/pk.



ADVANTAGE 3200 TWIN PORT RESPIRATORS

Designed for lower breathing resistance. Features a standard nose cup which reduces fogging and a soft, pliable silicone facepiece. Scratch resistant facepiece lens is engineered to be optically correct and eliminate distortion for superior visibility and peripheral vision. Advantage 3200 facepiece uses the same cartridges and filters as the Advantage 200 LS respirators. NIOSH approved. EN 136 class 2.

Order #	Mfg #	Description	Pack
308524671	10028996	Small, w/Rubber Harness	1/ea.
308524661	10028995	Medium, w/Rubber Harness	1/ea.
308524681	10028997	Large, w/Rubber Harness	1/ea.



FLEXI-FILTER® PADS FOR ADVANTAGE RESPIRATORS

Low profile, flexible filter pads for Advantage respirator fit well under a welding hood and with other personal protective equipment. Offer great balance and weight distribution for maintaining a good face seal, while the swept-back design provides improved vision and comfort. Multi-layer composite construction gives them better durability and spark resistance. NIOSH approved.

Order #	Mfg #	Description	Pack
308583425	818342	P100	2/pk.
3085163A5	818343	P100/OV/Ozone	2/pk.
3085164A5	818344	P100/AG/HF	2/pk.



5400 SERIES LOW-MAINTENANCE FULL FACEPIECE RESPIRATOR

Low-maintenance dual-cartridge elastomeric full facepiece. Oral nasal cup reduces fogging and dead air space, limiting re-breathing of exhaled air. Chin cup helps position facepiece properly. Hardcoated polycarbonate lens provides over 200° field of vision, excellent optics and is scratch resistant. Cartridges and filters sold separately. Compatible with North® cartridges and filters. Meets ANSI standards for impact and penetration resistance. NIOSH approved. Meets ANSI Z87.1-2003.

Order #	Mfg #	Description	Pack
347640011	54001	Medium/Large	1/ea.



7600 SERIES FULL FACEPIECE RESPIRATORS

Designed to provide eye, face and respiratory protection while ensuring optimal comfort and performance. Dual flange silicone seal give this facepiece superior-fitting characteristics. Hard-coated polycarbonate lens provides over 200° field-of-vision and protects the wearer's eyes and face against irritating gases, vapors and flying particles. Lens meets ANSI standards for high impact and penetration resistance. Compatible with North® cartridges, filters and accessories. NIOSH approved. Meets ANSI Z87.1-2003.

Order #	Mfg #	Description	Pack
347637491	760008AS	Small	1/ea.
347637481	760008A	Medium/Large	1/ea.



7700 SERIES SILICONE HALF-MASK RESPIRATORS

Soft non-allergenic silicone seal provides protection and comfort without sacrificing fit. Half-mask cradle suspension system allows the facepiece to seal evenly on the face without creating pressure points. Low profile gives workers a wide field of vision and does not interfere with protective eyewear. Low inhalation and exhalation resistance makes breathing easier and reduces worker fatigue. NIOSH approved.

Order #	Mfg #	Description	Pack
347657191	770030S	Small	1/ea.
347657201	770030M	Medium	1/ea.
347657211	770030L	Large	1/ea.



REPLACEMENT CARTRIDGES & FILTERS

Air-purifying respirators with cartridges provide respiratory protection against gases and vapors by using sorbents to purify the inhaled air. Cartridges with filters also remove dusts, fibers, and other particles. All North cartridges and filters are NIOSH approved with North® air-purifying half-masks and full facepiece respirators.

Order #	Mfg #	Description	Pack
347601001❖	7582P100L	Acid Gas Cartridge w/P100 Filter	2/pk.
347637461❖	7584P100L	Ammonia Cartridge w/P100 Filter	2/pk.
34768244	75SCL	Defender™ Cartridge	2/pk.
34763700	75SCP100L	Defender Cartridge w/P100 Particulate Filter	2/pk.
347637025	7506N95	N95 Filters	10/pk.
34763745	7581P100L	Organic Vapor Cartridge & P100 Filter	2/pk.
347631001❖	7583P100L	Organic Vapor, Acid Gas Cartridge w/P100 Filter	2/pk.
347637441	7580P100	P100 Filter	2/pk.
347651001	75FFP100	P100 Pancake Particulate Filter	2/pk.
61460907❖	75FFP100NL	P100, Pancake Particulate Filter Low Profile, w/Nuisance Level Odor Relief, Organic Vapor Acid Gas & Ozone, Magenta	2/pk.
347650021❖	N75002L	Acid Gas Cartridge	2/pk.
347675001	N75004L	Ammonia, Methylamine Cartridge	2/pk.
347650011	N75001L	Organic Vapor Cartridge	2/pk.
347657485	N75003L	Organic Vapor, Acid Gas Cartridge	2/pk.
347620951❖	N750027	Seal Check/Filter Cover	1/ea.



BACKPACK ADAPTER

Backpack adapter relocates cartridges and filters out of the work zone, placing them on the user's back. Also reduces weight of mask. Oval hose design provides low profile under tight-fitting welding helmets. Adapts easily to North Full Facepiece and Half-Mask air purifying respirators, by screwing securely to facepiece cartridge connectors. For use with North 7700, 5500, 5400 and 7600 Series Facepieces. NIOSH approved.

Order #	Mfg #	Description	Pack
347605801❖	BP1002	Backpack Adapter	1/ea.



75SCP100L



7584P100L



75SCL



75FFP100NL



N75003L

Cartridges sold separately



Honeywell

SURVIVAIR® 2000 HALF-MASK RESPIRATORS

The Survivair® 2000 silicone reusable half-mask respirators featuring a lightweight and innovative yoke design with capability to convert to a PAPR or CF-SAR. NIOSH 42 CFR 84.

Order #	Mfg #	Description	Pack
341522201❖	B250000	Small	1/ea.
341522231❖	B260000	Medium	1/ea.
341522295❖	B270000	Large	1/ea.



Honeywell

S-SERIES REPLACEMENT CARTRIDGE & FILTERS

For use with Survivair® half-mask and full-mask respirators. NIOSH 42 CFR 84s.

Order #	Mfg #	Description	Pack
341521865❖	B100100	Organic Vapor Cartridge	6/pk.
341522785❖	105005	P100 Filter Pad	10/pk.
341522925❖	106010	N95 Filter Pad	12/bx.



Ansell

CONFORM® LATEX GLOVES

Powdered, smooth finish latex gloves. Complies with FDA food handling requirements (21 CFR 177.2600). CFIA approved.

Order #	Mfg #	Size	Pack
220197105❖	69-210-L	Large	100/bx.
220130555❖	69-210-XL	X-Large	100/bx.



Ansell

CANNERS & HANDLERS GLOVES

Good choice for chemical, snag, puncture, and cut resistance. 12" length. 20-mil thick with pebble-embossing for wet or dry grip. Complies with FDA food handling requirements (21 CFR 177.2600). CFIA approved. Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.

Order #	Mfg #	Size	Pack
22013929❖	392-9	9	12/pk.
220197035❖	392-10	10	12/pk.



NORTH
by Honeywell

VINYL-TASK EXAMINATION GRADE VINYL GLOVES

100% vinyl does not contain allergy-causing proteins. Excellent sensitivity and dexterity. Ambidextrous, with 9" long rolled cuff. 5-mil thick. Complies with CE, USDA and FDA regulations, 21 CFR for use in food processing.

Order #	Mfg #	Size	Pack
347624665	T525L	Large	100/bx.
347624735❖	T525XL	X-Large	100/bx.



Ansell

TNT® BLUE DISPOSABLE NITRILE GLOVES

Durable yet soft for comfort. Sturdy, 5-mil nitrile gloves feature a 9 1/2" length, beaded cuff and textured fingers for grip. Available lightly powdered and powder-free. Used in manufacturing, light-duty maintenance, cleanup, intricate parts handling, laboratory analysis/technical work and automotive. Complies with FDA food handling requirements (21 CFR 177.2600). CFIA approved.

Order #	Mfg #	Size/Description	Pack
220148195	92-575-L	Large, Lightly Powdered	100/bx.
220126775	92-675-L	Large, Powder-Free	100/bx.
220148205	92-575-XL	X-Large, Lightly Powdered	100/bx.
220126785❖	92-675-XL	X-Large, Powder-Free	100/bx.



Ansell

FL200 LATEX GLOVES

Natural latex, cotton flock lined gloves. Provide a high degree of tensile strength while maintaining excellent sensitivity. Pebble embossed. 12" length. CFIA approved.

Order #	Mfg #	Size	Pack
220103415❖	297-9	9	12/pk.
220197065❖	297-10	10	12/pk.



Ansell

HEAVYWEIGHT LATEX GLOVES

Heavyweight gloves provide added protection against chemical and physical hazards. 100% cotton flock lining. 13" length. 29-mil thickness. CFIA approved.

Order #	Mfg #	Size	Pack
220108095❖	208-9	9	12/pk.
220108105❖	208-10	10	12/pk.



Ansell

SOL-VEX® 37-175 NITRILE GLOVES

Made of a high-performance nitrile compound for strength and chemical resistance. Flock lined. Features a straight cuff, sandpatch finish and offers protection against snags, punctures, abrasions and cuts. 15-mil thickness. 13" length. Complies with FDA food handling requirements (21 CFR 177.2600). CFIA approved.

Order #	Mfg #	Size	Pack
220175095	37-175-9	9	12/pk.
220175105	37-175-10	10	12/pk.



Ansell

TOUCHNTUFF® NITRILE GLOVES

Premium quality, 5-mil, 100% nitrile gloves feature a beaded cuff and smooth finish. Offers protection against grease and oil along with puncture resistance and excellent fingertip sensitivity. Durable, lightweight and comfortable. Silicone-free. 9 1/2" length. Complies with FDA food handling requirements (21 CFR 177.2600). CFIA approved.

Order #	Mfg #	Size/Description	Pack
220112655❖	92-500-L	Large, Powdered	100/bx.
220112705	92-600-L	Large, Powder-Free	100/bx.
220112665❖	92-500-XL	X-Large, Powdered	100/bx.
220112715	92-600-XL	X-Large, Powder-Free	100/bx.



KLEENGUARD® G10 ARCTIC BLUE NITRILE GLOVES

Natural rubber latex-free, reducing the risk of Type-1 allergic reactions. Textured fingertips for better grip. Food handling certified in North America and Europe. Powder-free. Beaded cuff. 9½" length. ASTM: D412, D573, D6319.

Order #	Mfg #	Size	Pack
154090985	90098	Large	200/bx.
154090995	90099	X-Large	180/bx.



KLEENGUARD® G10 NITRILE GLOVES

Provide tactile sensitivity and a comfortable, latex-like feel without natural rubber latex. Textured fingertips. Powder-free. 9½" length. 3.5-mil thickness. ASTM: D412, D573, D6319.

Order #	Mfg #	Size	Pack
154028445	97822	Medium	150/bx.
154028455	97823	Large	150/bx.
154028465	97824	X-Large	150/bx.



DEXI-TASK™ INDUSTRIAL GRADE NITRILE GLOVES

Durable, latex-free gloves provide more puncture resistance than natural rubber latex or vinyl gloves. Does not contain latex proteins that can cause allergic reactions. Comply with USDA and FDA regulations, 21 CFR, for use in food processing.

Order #	Mfg #	Size	Pack
347662525	LA049INDL	Large	10/bx.
347662555	LA049INDXL	X-Large	10/bx.



CHEMI-PRO® NEOPRENE COATED 87-224 LATEX GLOVES

Heavy-duty, flock-lined. Provides increased protection against a wide range of chemicals. Recessed diamond-embossed pattern. 13" length. 27-mil thickness. ANSI Level 3 abrasion protection. CFIA approved.

Order #	Mfg #	Size	Pack
220124095	224-9	9	12/pk.
220124105	224-10	10	12/pk.



PROFLEX 14-620 COATED GLOVES

Flexible PVC, fully coated. Optimum abrasion resistance in combination with excellent wet grip. Excellent chemical resistance. Jersey lining. 12" length. CFIA approved.

Order #	Mfg #	Size	Pack
220146695	14-660-9	9	12/pk.
220146705	14-660-10	10	12/pk.



KLEENGUARD® G40 POLYURETHANE COATED GLOVES

Has the feel of a thinner glove with the added protection of a coating. Abrasion and tear resistant.

Order #	Mfg #	Size	Pack
15402102	98222	Large	60/cs.
154028405	98223	X-Large	12/pk.



KLEENGUARD® G40 PURPLE NITRILE FOAM-COATED GLOVES

Foam-coated gloves that provide grip, durability and high abrasion resistance. Black and purple coating hides oil and dirt while ensuring an even grip through oil and grease. Seamless knit nylon liner offers comfort. EN 388. EN 420. Classified Category II PPE according to EC Council Directive 89/686EEC.

Order #	Mfg #	Size	Pack
154002275	40227	Large	12/pk.
154002285	40228	X-Large	12/pk.



NORTHFLEX DURO TASK™ NATURAL RUBBER COATED POLY/COTTON GLOVES

Made with rubber coating. Seamless liner provides comfort and lessens hand fatigue, and textured finish provides a sure grip on objects. Coating on fingertips and thumb crotch minimizes wear on high stress areas. Launderable. CE approved. Caution: This product contains natural rubber latex proteins which may cause allergic reactions in some individuals.

Order #	Mfg #	Size	Pack
347666775	NF149	Large	12/pk.
347666745	NF1410	X-Large	12/pk.



NORTHFLEX™ LIGHT TASK PLUS 3™ PALM COATED DYNEEMA® GLOVES

Medium weight, cut-resistant gloves that offer a great compromise between mechanical protection and wearer comfort. Complies with USDA and FDA regulations 21 CFR for use in food processing.

Order #	Mfg #	Size	Pack
333002265❖	NFD16G9	Large	12/pk.
333002225❖	NFD16G10	X-Large	12/pk.



NORTHFLEX NITRITASK™ NITRILE COATED NYLON GLOVES

Nitrile palm coating provides excellent grip and longer life. Uncoated back design allows for more comfort. Complies with USDA and FDA regulations, 21 CFR for use in food processing.

Order #	Mfg #	Size	Pack
347666731❖	NF139	Large	1/pr.
347666701❖	NF1310	X-Large	1/pr.



HYFLEX® 11-500 GLOVES

Features DuPont™ Kevlar® liner with black foam nitrile palm coating with a knit wrist. Provides enhanced grip in light oil conditions with good abrasion resistance. Offers the ability to handle sharp parts, reducing risk of snags and cuts. ANSI Level 2, EN Level 2 cut resistance. CFIA approved.

Order #	Mfg #	Size	Pack
220113645	11-500-9	9	12/pk.
220100615❖	11-500-10	10	12/pk.



HYFLEX® 11-501 GLOVES

Features Ansell exclusive Intercept Technology® with DuPont™ Kevlar® Stretch Armor for a combination of cut resistance and dexterity. Provides wet/oily grip, tactile sensitivity and comfort. Features teal foam nitrile palm coating and knit wrist. Ideal for general carpentry, HVAC/sheet metal workers, plumbers, public utilities, glass and lumber workers. ANSI Level 4, EN Level 4 cut resistance. CFIA approved.

Order #	Mfg #	Size	Pack
220100745❖	11-501-9	9	12/pk.



HYFLEX® 11-510 GLOVES

Premium, cut-resistant gloves. Ergonomically designed. DuPont™ Kevlar® stretch liner. Provides ANSI Level 2 cut resistance. CFIA approved.

Order #	Mfg #	Size	Pack
220115235❖	11-510-9	9	12/pk.
220115215❖	11-510-10	10	12/pk.



HYFLEX® 11-511 GLOVES

Cut protection and durability in a medium weight glove. Silicone and latex-free reduces product contamination and skin sensitivity. Redesigned finger length for greater comfort, dexterity, wear and flexibility. Enhanced Cuff Overedging (ECO) provides more elasticity in cuff area for donning and doffing. Proprietary nitrile foam technology provides increased wear in thumb crotch and palm area. Patented Knitted Variable Stitch Design (KVSD) provides improved fit by releasing tension in high stress zones of the glove. ANSI Level 4 cut resistance. CFIA approved.

Order #	Mfg #	Size	Pack
220151195❖	11-511-9	9	12/pk.
220115205❖	11-511-10	10	12/pk.



HYFLEX® 11-624 GLOVES

Black polyurethane palm-coated gloves feature a white DSM Dyneema® and Lycra® liner and knit wrist. Coating provides a sure grip in light oil and dry applications. Offers good resistance to tears and punctures. Ideal for electricians, HVAC/sheet metal workers, general industry and automotive. ANSI Level 5 abrasion protection and ANSI Level 2 cut resistance. CFIA approved.

Order #	Mfg #	Size	Pack
220116245❖	11-624-9	9	12/pk.
220100545	11-624-10	10	12/pk.



HYFLEX® 11-800 GLOVES

Features white nylon liner, grey nitrile foam coating and knit wrist. Offers resistance to snags and abrasions and provides grip in light oil. Ergonomic design molds naturally to the hand, minimizing fatigue. Ideal for automotive assembly and small parts handling. ANSI Level 3 abrasion protection and ANSI Level 1 cut resistance. CFIA approved.

Order #	Mfg #	Size	Pack
220113775	11-800-9	9	12/pk.
220118035❖	11-800-10	10	12/pk.

Ansell**HYFLEX® 11-920 OIL-REPELLENT GLOVES**

Provides optimal control along with durable protection. Ansell Grip Technology™ coating channels fluid away from the glove's surface. ANSI Level 1 cut resistance. CFIA approved.

Order #	Mfg #	Size	Pack
220192295	11-920-9	9	12/pk.
220119205❖	11-920-10	10	12/pk.

**Ansell****POWERFLEX® 80-100 GLOVES**

Features grey poly/cotton liner, blue natural rubber latex with textured palm coating and knit wrist. Provides a combination of grip, abrasion, and puncture resistance. Fully-coated thumb provides added protection in this high wear area. Use for general maintenance, shipping and receiving, assembly and lumber handling. Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals. ANSI Level 1 cut resistance. CFIA approved.

Order #	Mfg #	Size	Pack
220112005❖	80-100-9	9	12/pk.
220111965❖	80-100-10	10	12/pk.

Ansell**POWERFLEX® T 80-400 GLOVES**

Offer high visibility and added grip. Gloves offer excellent insulation for temperatures as low as -25°C or -13°F. Ergonomic design allows for unmatched comfort. Excellent wet and dry grip. Superior dexterity. ANSI Level 3 cut resistance. CFIA approved.

Order #	Mfg #	Size	Pack
220114025❖	80-400-9	9	12/pk.
220112015❖	80-400-10	10	12/pk.

**Honeywell****WHITING+DAVIS® MESH GLOVE**

Reversible full hand gloves with side slit, dome fastener and anti-microbial polypropylene strap. Stainless steel mesh gloves offer the ultimate in cut protection. Made of corrosion resistant, stainless steel rings that are individually welded for maximum strength, flexibility and durability. These metal mesh gloves are hygienic and easily sanitized. The rings resist process fats and oils and clean up simply with hot water and soap. Not CE Certified. Manufactured following the European Standard EN1082.

Order #	Mfg #	Size	Pack
341512171❖	A515DL	Large	1/ea.

NORTH
by Honeywell**NITRI-KNIT® GLOVES**

Supported nitrile gloves offer comfort and protection along with resistance to cuts, snags, abrasions and punctures. Interlock liner offers additional strength and comfort along with protection from extreme temperatures. The 26" long sleeves provide arm protection beyond the elbow. Features a rough finish for wet or oily grip. Treated with a permanent anti-bacterial and anti-mildew agent. Washable. Complies with USDA and FDA regulations, 21 CFR for use in food processing.

Order #	Mfg #	Size	Pack
347680391❖	NK803ES9	9	1/pr.
347680401❖	NK803ES10	10	1/pr.





DURAFLEX® STRETCHABLE HARNESS

Specially formulated elastomer webbing stretches to provide greater comfort, improved safety and increased productivity. Includes mating-buckle leg and chest straps, sub-pelvic straps, friction shoulder straps and back strap to prevent user from falling out of harness. Pull-free lanyard rings allow for attachment of lanyard when not in use. Universal (L/XL). Green. Rated to 400 lb. capacity. Meets all applicable OSHA, ANSI and CSA standards.

Order #	Mfg #	Description	Pack
341559061	E650-4UGN	Tongue Leg Strap Buckles	1/ea.



MANYARD® II STRETCHABLE SHOCK-ABSORBING LANYARD

Contracts from 6 feet (1.8 m) to 4 feet (1.2 m) to reduce tripping, snagging, or dragging. Specially-woven shock-absorbing inner core smoothly expands to reduce fall arrest forces. Outer heavy-duty tubular jacket serves as a backup web lanyard. Unique warning flag provides visual proof that a lanyard has been involved in a fall and should be removed from service. Standard 6' length and includes inspection log label. Green. Meets all applicable OSHA, ANSI and CSA standards.

Order #	Mfg #	Description	Pack
341567521	231M-Z7/6FTGNC	6' Double Leg Manyard II Lanyard w/1 Locking Snap Hook & 2 Locking Rebar Hooks	1/ea.



MILLER MINILITE® FALL LIMITERS

Self-retracting 11' web lanyard with quick-activating braking system limits free fall to inches. Eliminates need for extended fall distance clearance, minimizing injuries and making rescue easier. Includes steel twist-lock carabiner and stainless steel swivel shackle. Meets all applicable OSHA, ANSI A10.32 and CSA Z259-2.2 Type 1 requirements.

Order #	Mfg #	Description	Pack
341565351	FL11-0-Z7/11FT	w/Swivel Snap Hook On Web Lanyard End	1/ea.
341558351	FL11-3-Z7/11FT	w/Twist Lock, Carabiner & Swivel Shackle	1/ea.



BACKBITER® TIE-BACK LANYARD

Designed specifically for tie-back use. Includes SofStop® shock-absorber pack, locking Miller 5K® snap hook, locking snap hook with 3/4" gate opening and heavy-duty Cordura® nylon webbing. Standard 6' length. Green. Meets all applicable OSHA, ANSI Z359 and CSA standards.

Order #	Mfg #	Description	Pack
341552001	8798B/6FTGNC	Twin-Leg w/5K Snap Hooks & Locking Snap Hook	1/ea.



MIGHTYLITE™ SELF-RETRACTING LIFELINE

Compact design with swivels on snap hook and on top of unit is perfect for hard-to-mount and permanent mount locations. Constructed with corrosion resistant aluminum and stainless steel for long life. Automatic inertia brakes engage during a fall, limiting falls to 24" or less. 20'. Meets all applicable OSHA, ANSI, CSA Z259.2 Type 2 standards.

Order #	Mfg #	Description	Pack
341558331	RL20G-Z7/20FT	20' Galvanized Wire Rope (3/16"), w/Carabiner & Tagline Stock	1/ea.



MILLER SCORPION™ PERSONAL FALL LIMITER

Lightweight, compact design offers greater mobility, requires less fall clearance and reduces tripping hazards. Attaches directly to harness D-ring for use as personal fall limiter or use as traditional self-retracting lifeline. Includes a high strength stainless steel braking system and visual load indicator to warn when the unit must be removed from service. Includes carabiner, snap hook and swivel shackle. Meets all applicable OSHA, ANSI and CSA requirements.

Order #	Mfg #	Description	Pack
341558361	PFL-4-Z7/9FT	9' Length, w/Carabiner, Swivel Shackle & Locking Snap Hook	1/ea.



TITAN READYROOFER® SYSTEM KIT

Includes: Lightweight, full-body harness (T4000/UAK); compact trailing rope grab (8173/U); shock-absorbing lanyard (T6111/3FTAF); high-strength rope lifeline (300L); reusable roof anchor with attachment D-ring (RA15-1/) and waterproof container.

Order #	Mfg #	Description	Pack
341545741	BRFKT50/50FTC	Kit w/50' Rope Lifeline	1/ea.



EVOTECH™ FULL-BODY HARNESSES

Available with Qwik-Fit, tongue buckle or qwik-connect buckles for easy connection and adjustment. Shoulder padding is washable and attached with Velcro (10105889 has no padding); non-binding edge prevents neck chafing. Includes positionable lanyard clip and 3-position back D-ring, covered label pack and RFID chip. 10105960 includes Suspension Trauma Safety Step. Meets OSHA regulations and certified to CSA Z259.10-06.

Order #	Mfg #	Description	Pack
3085371D1 ♦	10105889	Std., Back D-Ring, Qwik-Fit	1/ea.
3085527D1 ♦	10105931	Std., Back D-Ring, Tongue-Buckle Leg, Qwik-Connect Chest	1/ea.
3085528D1 ♦	10105940	Std., Back D-Ring, Qwik-Connect	1/ea.
3085529D1 ♦	10105941	XL, Back D-Ring, Qwik-Connect	1/ea.
3085530D1 ♦	10105946	Std., Back & Chest D-Rings, Quick-Connect	1/ea.
3085531D1 ♦	10105954	Std., Back & Hip D-Rings, Tongue-Buckle Leg, Qwik-Connect Chest	1/ea.
3085532D1 ♦	10105956	Std., Back D-Ring, Tongue-Buckle Leg, Qwik-Connect Chest	1/ea.
3085533D1 ♦	10105958	Std., Back & Hip D-Ring, Tongue-Buckle Leg, Qwik-Fit Chest	1/ea.
3085534D1 ♦	10105960	Std., Back & Hip D-Ring, Qwik-Connect	1/ea.



WORKMAN® HARNESSES

Lightweight components and durable webbing provide comfortable protection. Vest-style harness fits wide range of body types and sizes. Colour-contrasting thigh and torso straps simplify donning. Features abrasion resistant, yellow polyester webbing for high visibility and web retainer collars to keep excess webbing neat. Meets OSHA regulations and is certified to CSA Z259.10-06. Other sizes available.

Order #	Mfg #	Description	Pack
3085983A1	10072479	Standard, w/Back D-Ring & Qwik-Fit Legs	1/ea.
3085431B1	10072483	Standard, w/Back, Hip D-Rings & Qwik-Fit Legs	1/ea.
3085089C1	10072484	XL, w/Back, Hip D-Rings & Qwik-Fit Legs	1/ea.
3085985A1	10072487	Standard, w/Back D-Ring & Tongue-Buckle Legs	1/ea.
3085001C1	10072488	XL, w/Back D-Ring & Tongue-Buckle Legs	1/ea.



WORKMAN® CONSTRUCTION HARNESSES

Provides comfortable protection due to lightweight components and durable webbing. Vest-style harness, with back and hip D-rings for work positioning, fits wide range of body types and sizes. Abrasion resistant, durable yellow polyester webbing is highly visible; web retainer collar keeps excess webbing neat. Qwik-fit chest strap, tongue-buckle leg straps and tool belt and integral backpad for added comfort during work positioning. Shoulder pads optional. Standard. 400 lb. capacity. Instructions in English, Spanish and French. Meets OSHA regulations and is certified to CSA Z259.10-06.

Order #	Mfg #	Description	Pack
3085305B1 ♦	10077571	w/Shoulder Pads	1/ea.
3085297C1	10072495	w/o Shoulder Pads	1/ea.



WORKMAN® ENERGY-ABSORBING LANYARDS

Lightweight lanyard with low profile body. Shock absorber includes clear, durable protective cover over labels to increase service life and allow for easy inspection. Includes tear-tape design to keep fall arrest forces below 900 lbs. Length is 6' with snap hooks at both ends. Single leg in choice of adjustable or tie-back configurations. Meets applicable OSHA regulations and is certified to CSA Z259.11-05 E4.

Order #	Mfg #	Description	Pack
3085430B1	10072472	Single Leg, Tie-Back	1/ea.
3085981A1	10072474	Single Leg, Adjustable	1/ea.
3085887B1 ♦	10072473	Twin Leg, Tie-Back, LC Snap Hooks at All Ends	1/ea.
3085982A1 ♦	10072475	Twin Leg, LC Snap Hook & 2 Rebar Hooks	1/ea.
3085303B1	10073708	Twin Leg, LC Snap Hooks at All Ends	1/ea.



DYNA-LOCK® SELF-RETRACTING LANYARD

Three continuously moving, independent-braking mechanisms prevent freezing in icy or corrosive conditions. Built-in shock absorber limits fall arrest forces to under 900 lbs. and has 4 1/2' per second locking speed. 3/16" Galvanized steel wire rope, 50' length. Meets applicable OSHA regulations and is certified to CSA Z259.2.2.

Order #	Mfg #	Description	Pack
308572041 ♦	506204	Galvanized Wire Rope	1/ea.



FP5K™ TIE-BACK SHOCK-ABSORBING LANYARD

Utilizes carabiner with 1" gate opening and 5000 lb. gate strength in any direction that allows it to be tied back directly to lanyard. Carabiner body shape helps avoid confusion with standard connectors not designed for tie-back applications. 6' Adjustable web utilizes Monster-Edge™ webbing with 12,000 lb. minimum breaking strength and designed for increased abrasion resistance. Internal wear indicator consists of (2) yellow threads that, when visible, alert user that lanyard should be removed from service. Utilizes Sure-Stop™ shock absorber to keep fall arrest forces below 900 lbs. Available in single and twin-leg configurations. Meets OSHA regulations and is CSA certified to Z259.11-05 E4.

Order #	Mfg #	Description	Pack
308535541❖	10047084	Single Leg	1/ea.



FP DIAMOND™ SHOCK-ABSORBING LANYARD

Lightweight and features durable polyester sheathing for increased abrasion and UV resistance. Single leg design includes highly visible deployment tag. Elastic design contracts from 6' to 4½' and reduces trip and snag hazards. Available in single and twin-leg configurations. Meets applicable OSHA requirements, ANSI A10.32 standard and is certified to CSA Z259.11-05 E4.

Order #	Mfg #	Description	Pack
308522171❖	10023932	Single Leg	1/ea.



WORKMAN® PERSONAL FALL LIMITERS

Engineered thermoplastic housing decreases weight, rugged, impact-absorbing protective bumpers add durability. 400 lb. working capacity. No annual factory recertification. High-quality design reduces the cost of ownership and eliminates downtime. Integral load indicator alerts that unit has been involved in a fall and PFL must be removed from service. Integral swivel on PFL connector. Web PFL has a field-replaceable lifeline. Cable PFL has a galvanized steel lifeline. 12' line length. Each comes with a 1" steel carabiner and LC snap hook. Meets ANSI A10.32, all applicable OSHA standards, and are CSA certified.

Order #	Mfg #	Description	Pack
3085416D1❖	10104710	Cable PFL	1/ea.
3085626C1❖	10093350	Web PFL	1/ea.



FP STRYDER™ ANCHORAGE CONNECTOR

Lightweight at only 4½ lbs. with easy, single hand installation. Low friction wear pads with Teflon® eliminate metal-to-metal contact and allow unit to glide effortlessly along beam flange. Designed with integral load indicator that alerts user if unit has been exposed to a fall. Versatile design allows for mounting overhead or at worker's feet. Adjustable vernier for secure fit and 1/4" adjustment intervals. Easy-to-use, push button adjustment. Fits beam flange widths from 4" to 14". Field serviceable. Meets applicable OSHA regulations, ANSI A10.32 and ANSI Z359.1-2007.

Order #	Mfg #	Description	Pack
308536481❖	10051455	400 lb. Load Capacity	1/ea.



SUSPENSION TRAUMA SAFETY STEP

Designed to help workers in post-fall suspension position avoid effects of suspension trauma. Relieves pressure by inserting foot into step loop and standing up in harness. Flexing leg muscles and releasing harness leg strap pressure stimulates blood flow and helps prevent onset of suspension trauma. Use single Safety Step or two (one for each leg) for additional support, balance and comfort. Meets ANSI Z359.1 and ANSI A10.32 Standards OSHA regulations (in Canada, in accordance with Provincial regulation).

Order #	Mfg #	Description	Pack
308536881❖	10063441	Safety Step w/o Carabiner	1/ea.



RITE-ON™ COMFORT HARNESS

Universally sized harness with one piece back and shoulder pad. The one piece back/shoulder pad provides all-day comfort and retains the shape of the harness making it easy to don. Features include, quick-release buckles at chest and legs, and one back D-ring. CSA approved and ANSI/OSHA compliant – suitable for use in all industries throughout North America.

Order #	Mfg #	Description	Pack
34760811❖	FP81F/1DBA	Rite-On™ Harness, Universal	1/ea.



Y-LANYARD RESTRAINT

Heavy-duty, 1" polyester web, (2) scaffold hooks and (1) snap hook. Suitable for use with heavy-duty harness. For fall arrest and work positioning applications. CSA class AP.

Order #	Mfg #	Description	Pack
347688621❖	FP2552GG/6	6' Length	1/ea.



AUTOMATIC ROPE GRAB

Automatic rope grab designed for use in vertical applications of 5/8" (16 mm) approved synthetic rope only. It can be adjusted up or down the lifeline with little effort. Engineered to meet or exceed applicable ANSI, OSHA and CSA requirements.

Order #	Mfg #	Description	Pack
347614131❖	FP541	w/Panic Lock	1/ea.



ROOFER'S KIT

Contains: lightweight universal harness (FPD698/1DP386) with soft pack energy absorbing lanyard and rope grab permanently attached; 3-strand copolymer rope of 5/8", 50' (FP16E/PS); (2) roof brackets (FP90B); (1) carabiner connector (FP86), (10) 4" Ardox spiral nails. Durabilt storage bucket. CSA approved.

Order #	Mfg #	Description	Pack
347611141❖	FPD90/50	Roofer's Kit w/50' Durabilt Line	1/ea.





PB120S



PB125S

**DUPONT™ PROSHIELD® BASIC COVERALLS**

Coveralls with zipper fronts, storm flaps and serged seams. These spunbond meltblown spunbond (SMS) garments are made to high quality standards. Designed for workers in a range of industries for non-hazardous dry particle applications. Comfort fit design based on extensive wearer input to provide our most comfortable garment design that: enables a greater range of movement while stretching and bending, provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts, utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment. Laydown collar. Available in size medium through 3X-large.

Order #	Mfg #	Description	Pack
31712501	PB120SBULG002500	Large, Blue	25/cs.
31712541 ♦	PB125SBULG002500	Large, Elastic Wrists & Ankles, Blue	25/cs.
31712511	PB120SWHLG002500	Large, White	25/cs.
31712551 ♦	PB125SWHLG002500	Large, Elastic Wrists & Ankles, White	25/cs.

**DUPONT™ PROSHIELD® BASIC HOODED COVERALLS**

Hooded coveralls with elastic wrists and ankles, a storm flap and serged seams. These garments are designed for workers in a range of industries for non-hazardous dry particle applications. Comfort fit design based on extensive wearer input to provide our most comfortable garment design that: enables a greater range of movement while stretching and bending, provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts, utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment. Attached hood with elastic around face opening. Available in size medium through 3X-large.

Order #	Mfg #	Description	Pack
31712560 ♦	PB127SBUMD002500	Medium, Blue	25/cs.
31712570	PB127SWHMD002500	Medium, White	25/cs.
31712561 ♦	PB127SBULG002500	Large, Blue	25/cs.
31712571 ♦	PB127SWHLG002500	Large, White	25/cs.
31712562	PB127SBUXL002500	X-Large, Blue	25/cs.
31712572 ♦	PB127SWHXL002500	X-Large, White	25/cs.
31712563 ♦	PB127SBU2X002500	2X-Large, Blue	25/cs.
31712573	PB127SWH2X002500	2X-Large, White	25/cs.
31712564 ♦	PB127SBU3X002500	3X-Large, Blue	25/cs.
31712574	PB127SWH3X002500	3X-Large, White	25/cs.

**DUPONT™ PROSHIELD® BASIC HOODED COVERALLS W/SKID RESISTANT BOOTS**

Hooded coveralls with attached skid resistant boots, elastic wrists and ankles, a storm flap and serged seams. These garments are designed for workers in a range of industries for non-hazardous dry particle applications. Comfort fit design based on extensive wearer input to provide our most comfortable garment design that enables a greater range of movement while stretching and bending, provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts, utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment. Available in size medium through 3X-large.

Order #	Mfg #	Description	Pack
31712520	PB122SBUMD002500	Medium, Blue	25/cs.
31712530 ♦	PB122SWHMD002500	Medium, White	25/cs.
31712521 ♦	PB122SBULG002500	Large, Blue	25/cs.
31712531 ♦	PB122SWHLG002500	Large, White	25/cs.
31712522 ♦	PB122SBUXL002500	X-Large, Blue	25/cs.
31712532 ♦	PB122SWHXL002500	X-Large, White	25/cs.
31712523 ♦	PB122SBU2X002500	2X-Large, Blue	25/cs.
31712533 ♦	PB122SWH2X002500	2X-Large, White	25/cs.
31712524	PB122SBU3X002500	3X-Large, Blue	25/cs.
31712534 ♦	PB122SWH3X002500	3X-Large, White	25/cs.





DUPONT™ PROSHIELD® HOODED COVERALLS

ProShield® garments have been optimized for comfort, softness and breathability. Designed for workers in a range of industries for non-hazardous dry particle and light liquid splash applications. Comfort fit design based on extensive wearer input to provide our most comfortable garment design that: enables a greater range of movement while stretching and bending, provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts, utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment. Attached respirator-fit hood with elastic around face opening, designed to cover neck and chin and fit around respirator face mask. Longer zipper extends to chin for complete coverage of neck area. Elastic opening for tighter fit at wrist. Elastic opening for tighter fit at ankle. Available in size medium through 3X-large.

Order #	Mfg #	Description	Pack
31718207❖	P1127SDB-M	Medium, Denim Blue	25/cs.
31718208❖	P1127SDB-L	Large, Denim Blue	25/cs.
31718209	P1127SDB-XL	X-Large, Denim Blue	25/cs.
31718210❖	P1127SDB-2XL	2X-Large, Denim Blue	25/cs.
31718211	P1127SDB-3XL	3X-Large, Denim Blue	25/cs.



DUPONT™ PROSHIELD® NEXGEN® COVERALLS

Microporous film laminate provides excellent un-abraded barrier to non-hazardous particles and light liquid splash. Zipper front with collar. Open wrists and ankles. Serged seams. Anti-static treated.

Order #	Mfg #	Description	Pack
31710125	NG120S-L	Large, White	25/cs.
31710128	NG120S-XL	X-Large, White	25/cs.
31710129	NG120S-2XL	2X-Large, White	25/cs.
31710130	NG120S-3XL	3X-Large, White	25/cs.



DUPONT™ TYVEK® COVERALLS

Provides best balance of protection, durability and comfort. Only by DuPont™, flashspun, high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles, aerosols and light liquid splash. Tyvek® coveralls offer proprietary comfort-fit design for greater range of movement and increased worker comfort. Provides effective barrier down to 1 micron particles, even after abrasion. Serged seams. Nylon zipper. Available in size medium through 3X-large.

Order #	Mfg #	Description	Pack
31710484	TY127S-L	Large, Attached Hood, Elastic Wrists & Ankles, White	25/cs.
31710466❖	TY122S-L	Large, Attached Hood & Skid-Resistant Boots, Elastic Wrists, White	25/cs.
31710475	TY125S-L	Large, Collar, Elastic Wrists & Ankles, White	25/cs.
31710458	TY120S-L	Large, Collar, Open Wrists & Ankles, White	25/cs.





Boots not included



QC122S



QC127S

**DUPONT™ TYCHEM® QC HOODED COVERALLS**

Tychem® QC coveralls are made with polyethylene-coated Tyvek® fabric which provides protection against light liquid splash. Bright yellow colour creates contrast across a wide range of natural backgrounds for high visibility in the workplace. Lightweight fabric is durable and resistant to tear and abrasion. Ideal for use in chemical processing and manufacturing applications. Zipper front. Serged seams. Other sizes and styles available.

Order #	Mfg #	Description	Pack
31710314 ◆	QC122S-L	Large, Attached Hood & Boots, Elastic Wrists, Yellow/Green	12/cs.
31710317 ◆	QC122S-XL	X-Large, Attached Hood & Boots, Elastic Wrists, Yellow/Green	12/cs.
31710318 ◆	QC122S-2XL	2X-Large, Attached Hood & Boots, Elastic Wrists, Yellow/Green	12/cs.
31710319 ◆	QC122S-3XL	3X-Large, Attached Hood & Boots, Elastic Wrists, Yellow/Green	12/cs.
31710345 ◆	QC127S-L	Large, Attached Hood, Elastic Face, Wrists & Ankles, Yellow	12/cs.
31710348 ◆	QC127S-XL	X-Large, Attached Hood, Elastic Face, Wrists & Ankles, Yellow	12/cs.
31710349 ◆	QC127S-2XL	2X-Large, Attached Hood, Elastic Face, Wrists & Ankles, Yellow	12/cs.
31710350 ◆	QC127S-3XL	3X-Large, Attached Hood, Elastic Face, Wrists & Ankles, Yellow	12/cs.

**DUPONT™ TYCHEM® SL HOODED COVERALLS**

Coveralls with attached hood and boots, elastic face and wrist openings. Tychem® SL coveralls are made from lightweight Tyvek® laminated to chemical resistant, Dow Saranex® 23P film. Provides protection against a broad spectrum of chemicals, hazardous particles and liquids. Strong fabric reduces risk of tears and abrasions. Zipper front with storm flap. Bound seams. Other sizes and styles available.

Order #	Mfg #	Description	Pack
31710389 ◆	SL122B-XL	X-Large, White	12/cs.
31710390 ◆	SL122B-2XL	2X-Large, White	12/cs.
31710391 ◆	SL122B-3XL	3X-Large, White	12/cs.

DUPONT™ TYVEK® AND GENERAL PROTECTION

Garment	Typical general industrial hazards/Description/Examples																			
	Non-hazardous								Hazardous											
	Particles			Aerosol	Light liquid splash*				Particles										Aerosol	Flame** resistance
	General dirt & grime	Animal waste	Sanding & grinding waste	Spray paints	Oil & grease	Lubricants	Fertilizer	Sewage	Fertilizer	Pesticides	Asbestos	Lead	Chromium	Beryllium	Mold	Fiberglass	Carbon	Radioactive particles	Isocyanate	
Tyvek®	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
ProShield® NexGen®	○	○	○	●	●	●	●	●												
ProShield®	○	○	○	○	○	○	○	○												
Tempro®	○	○	○	○	○	○														●

● Generally preferred

○ Acceptable for use



KLEENGUARD® A20 BREATHABLE PARTICLE PROTECTION HOODED COVERALLS

Constructed of patented Microforce™ Barrier SMS Fabric that offers protection against dry particulates and light liquid sprays. Ideal for manufacturing and food processing areas. Strong and abrasion resistant for extended wear. Lightweight and breathable. Zipper front. Attached hood. Meets NFPA 99 criteria for anti-static materials.

Order #	Mfg #	Description	Pack
15408252	49113	Large, Elastic Back, Wrists, Ankles & Hood, White	24/cs.
15408254	49114	X-Large, Elastic Back, Wrists, Ankles & Hood, White	24/cs.
15408256❖	49115	2X-Large, Elastic Back, Wrists, Ankles & Hood, White	24/cs.
15408219❖	49116	3X-Large, Elastic Back, Wrists, Ankles & Hood, White	20/cs.
15408513	58513	Large, Elastic Back, Wrists, Ankles & Hood, Blue	24/cs.
15405814	58514	X-Large, Elastic Back, Wrists, Ankles & Hood, Blue	24/cs.
15408515	58515	2X-Large, Elastic Back, Wrists, Ankles & Hood, Blue	24/cs.
15400698❖	58516	3X-Large, Elastic Back, Wrists, Ankles & Hood, Blue	20/cs.



KLEENGUARD® A30 BREATHABLE SPLASH & PARTICLE PROTECTION HOODED COVERALLS

Made from strong, abrasion resistant, patented Microforce™ Barrier SMS Fabric which is breathable and provides superior particle holdout. Ideal for automotive and assembly operations. Patented REFLEX* design is 7½ times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Zipper front with 1" flap. Elastic back, wrists ankles and hood. Meets NFPA 99 criteria for anti-static materials.

Order #	Mfg #	Description	Pack
15400588	46113	Large, White	25/cs.
15406114	46114	X-Large, White	25/cs.
15400589	46115	2X-Large, White	25/cs.
15400590❖	46116	3X-Large, White	21/cs.



KLEENGUARD® A60 BLOODBORNE PATHOGEN & CHEMICAL SPLASH PROTECTION HOODED COVERALLS

Three-layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape while protecting against dry particulates and liquid. Zipper front with storm flap. Elastic back, wrists ankles and hood. Passes ASTM F1670/1671 testing for penetration of blood, body fluids and blood-borne pathogens.

Order #	Mfg #	Description	Pack
15400388	45023	Large, Blue	24/cs.
15400417❖	45024	X-Large, Blue	24/cs.
15400419❖	45025	2X-Large, Blue	24/cs.
15400421❖	45026	3X-Large, Blue	20/cs.





DUPONT™ TYVEK® APRON

Provides front-body protection from dry particulate hazards. Bib-style with neck loop for easy on and off. Low-linting and static-free.

Order #	Mfg #	Description	Pack
31710784	TY273S	28" x 36", White	100/cs.



DUPONT™ TYVEK® FROCK & LAB COAT

Flashspun, high-density polyethylene substrate provides barrier protection against hazardous dry particles and light liquid splash. Both garment styles offer snap closures. The lab coat has two pockets. The frock has no pockets. Available in size medium through 3X-large.

Order #	Mfg #	Description	Pack
31710494❖	TY210S-M	Frock, Medium, White	30/cs.
31710508	TY212S-M	Lab Coat, Medium, White	30/cs.



KLEENGUARD® A10 LAB COAT

Lightweight apparel in spunbond polypropylene material for cool comfort and protection in non-hazardous environments. Light-duty protection provided against dirt, grime and certain non-hazardous dry particulates. Elastic wrists. Snap front. No pocket. Meets ANSI/ISEA 101-1996 sizing standards.

Order #	Mfg #	Description	Pack
15400402❖	40103	Large, White	50/cs.
15400403❖	40104	X-Large, White	50/cs.
15400404❖	40105	2X-Large, White	50/cs.



KLEENGUARD® A40 LIQUID & PARTICLE PROTECTION SHIRT

Five snap front closure. Strong liquid and particulate barrier. Low in lint. Passes NFPA 99 criteria for anti-static materials.

Order #	Mfg #	Description	Pack
15401302❖	44402	Medium, White	50/bx.



KLEENGUARD® A40 LIQUID & PARTICLE PROTECTION PANTS

Elastic waist. Strong liquid and particulate barrier. Low in lint. Passes NFPA 99 criteria for anti-static materials.

Order #	Mfg #	Description	Pack
15400329❖	44412	Medium, White	50/cs.



DUPONT™ TYVEK® FC BOOT COVERS

Made with Tyvek® FC spunbonded olefin. Skid resistant with elastic top, 18" high (intended to be worn over boots). Serged seams.

Order #	Mfg #	Description	Pack
31714100	FC454S	Universal Size, Grey	100/cs.



DUPONT™ TYVEK® FC SHOE COVERS

Made with Tyvek® FC spunbonded olefin. Skid resistant, 5" high with low elastic top. Serged seams.

Order #	Mfg #	Description	Pack
31713961	FC450S	Universal Size, Grey	200/cs.



KLEENGUARD® A20 SELECT BREATHABLE PARTICLE PROTECTION BOOT COVERS

Kleenguard boot covers offer generous sizing to cover work boots. Elastic top offers secure protection. Meets NFPA 99 criteria for anti-static materials.

Order #	Mfg #	Description	Pack
15408032	36880	Universal Size, White	300/cs.



KLEENGUARD® A20 SHOE COVERS

Kleenguard liquid and particle protection shoe covers are fully elasticized with vinyl traction soles. Meets NFPA 99 criteria for anti-static materials.

Order #	Mfg #	Description	Pack
15408033	36885	Universal Size, White	300/cs.



KLEENGUARD® A10 SHOE COVERS

Lightweight apparel in spunbond polypropylene material for cool comfort and protection in non-hazardous environments. Light-duty protection provided against dirt, grime and certain non-hazardous dry particulates. Fully elasticized. Meets ANSI/ISEA 101-1996 sizing standards.

Order #	Mfg #	Description	Pack
15406811	36811	Universal Size, Blue	300/cs.



KLEENGUARD® A20 PROTECTIVE SLEEVE

A sleeve protector that offers economical protection for arms. Designed for secure fit with unrestricted movement. Elastic at both ends. Ideal for food processing and assembly operations. Meets NFPA 99 criteria for anti-static materials.

Order #	Mfg #	Description	Pack
15406870	36870	18" Universal Size, White	200/cs.



KLEENGUARD® A40 LIQUID & PARTICLE PROTECTION SLEEVE PROTECTORS

Better liquid barrier, better particulate barrier, lower in lint than TYVEK®. Breathable, microporous film laminate. Elastic ends. Passes NFPA 99 criteria for anti-static materials.

Order #	Mfg #	Description	Pack
15400357	44480	18" Universal Size, White	200/cs.



DUPONT™ TYVEK® PROTECTIVE SLEEVE

Offers extra protection for arms and garments by repelling most non-hazardous liquids and particulates. Elastic ends ensure secure fit. Serged seams.

Order #	Mfg #	Description	Pack
31710538	TY500S	18" Universal Size, White	200/cs.



ALTAIR® DISPOSABLE SINGLE-GAS DETECTOR

Single-gas detection for carbon monoxide, hydrogen sulfide or oxygen that will operate for over two years. Rubberized housing offers superior dust/water protection and high resistance to RFI. One-button operation provides durability and ease of use. Features triple alarm system with (2) bright LEDs, audible and vibrating alarm. Automatically records the last 25 alarm events. MSA infrared adapter using the built-in IR communication port enables user to read data or change alarm set points. Small, thin sensor profile provides high performance in a small package. CSAus - 120627, CSA 1719689 2538173.

Order #	Mfg #	Description	Pack
3085885B1❖	10092521	Hydrogen Sulfide, H2S	1/ea.



ALTAIR® 4X MULTIGAS DETECTORS

Tough and functional detector for LEL, CO, H2S and O2. Rugged housing provides unsurpassed durability, including ability to survive a 20 foot drop. Easy to operate in any work environment, even low-light conditions. Large, glove-friendly buttons and high-contrast display. Four-year sensor life with 24 hour run time. Fast, high-performing sensors, exclusive MSA MotionAlert™ and InstantAlert™ features and end-of-sensor-life warning. 50% less calibration gas used per minute than industry average. Sensor response and clear times under 15 seconds. Sixty-second span calibration time. Greater signal stability and repeatability under changing or extreme environmental conditions. Two-tox CO/H2S sensor with virtually no cross-channel interference. Digital output of sensors means less susceptibility to RF interference. Full three year warranty. IP67 Certified. CSA Class I, Division 1, Groups A, B, C & D ETL Class II, Division 1, Groups E, F & G/ Class III, Division 1. CSA - 120628, CSA 2008234 2536585.

Order #	Mfg #	Description	Pack
3085536D1❖	10110443	Charcoal, LEL, O2 & CO	1/ea.
3085400D1❖	10107602	Charcoal, LEL, O2, CO & H2S	1/ea.
3085537D1❖	10110445	Phosphorescent, LEL, O2 & CO	1/ea.
3085535D1❖	10107603	Phosphorescent, LEL, O2, CO, & H2S	1/ea.



ALTAIR® 5X MULTIGAS DETECTORS

60-second span calibration, and 10 second bump test time. Thick rubber housing provides a non-slip profile for secure grip, easily surviving a 10 foot drop. Exclusive MSA MotionAlert™ and InstantAlert™ features. Minimum IP65 rating for dust and water ingress. High resolution colour display. Monochrome display option. Multi-language capability. Galaxy® System-compatible for automatic testing, calibration, and record keeping. Lithium-ion battery pack provides over 18 hours of run time with virtually no memory effects and fast battery recharge. MSA Link™ software and Galaxy® system compatible. IP65 rated for dust and water ingress. CSA - 111111, CSA 2072894 2474424.

Order #	Mfg #	Description	Pack
3085686D1❖	10116928	LEL, O2, CO & H2S	1/ea.
3085925D1❖	10116929	LEL, O2, CO, H2S & SO2	1/ea.



GALAXY® AUTOMATED TEST SYSTEMS

Automated record keeping and calibration system does not require a computer or network interface. Extremely easy to use, versatile, expandable up to 10 units and works with the touch of a single button. Minimal training required. Inventive system door also functions as dust cover. Guaranteed to work in the harshest environments. All-inclusive, two year warranty with a very low total cost of ownership. Includes one complete Galaxy® system, North American power supply, instruction manual, required filters and tubing. CE Certified. European Union: FTZU 05 ATEX 0003X.

Order #	Mfg #	Description	Pack
3085995C1❖	10078256	Altair® Single-Gas Model w/Regulator, Memory Card & Cylinder Holder	1/ea.
3085993C1❖	10089967	Altair® 4X w/Regulator, Memory Card, Charging & Cylinder Holder	1/ea.
3085994C1❖	10090592	Altair® 5X, Pump Model w/Regulator, Memory Card, Charging & Cylinder Holder	1/ea.

Other Gas Detector products available, contact customer service.

Honeywell



FENDALL FLASH FLOOD EYEWASH STATION

Offers immediate, hands-free eye flushing. Delivers saline solution for three minutes. Station comes with a 1 gallon saline cartridge. Personal/secondary eyewash, does not meet the ANSI Z358.1-2009 standard for 15-minute flushing requirement.

Order #	Mfg #	Description	Pack
34155438❖	32-000400-0000	Station, English	1/cs.
34155441❖	32-000401-0000	1 gal. Saline Refill Cartridge	1/cs.

Honeywell



EYESALINE® PERSONAL EYEWASH WALL STATION

Open-face design holds Eyesaline® eyewash/body flush firmly in place. FDA-grade polyethylene bottles feature lot numbers and expiration dates. Hi-viz green. Personal/secondary eyewash, does not meet the ANSI Z358.1-2009 standard for 15-minute flushing requirement.

Order #	Mfg #	Description	Pack
341501101❖	32-000461-0000	Single Bottle Station, 32 oz.	1/ea.

Honeywell



EYESALINE® EYEWASH SOLUTION

Sterile, isotonic solution. FDA-grade polyethylene bottles with extended-flow nozzles. ANSI Z358.1 (Supplemental Equipment).

Order #	Mfg #	Description	Pack
341501071❖	32-000454-0000	16 oz. Bottle	1/cs.
341501081❖	32-000455-0000	32 oz. Bottle	1/cs.



FIRST AID KIT

Vehicle kit. 16 pieces. Plastic box.

Contents:

- | | |
|-------------------------------------|--------------------------------------|
| (1) first aid manual | (1) instrument kit |
| (2) Pressure bandages | (24) sterile plastic adhesive strips |
| (2) alcohol sachets | (2) benzalkonium antiseptic sachets |
| (1) gauze bandage 2" x 5 yds. | (2) ammonia inhalants, sterile |
| (1) gauze bandage 4" x 5 yds. | (2) providine ointment sachets |
| (1) conform gauze 3" x 5 yds. | (1) sterile finger tip dressing |
| (1) adhesive tape 1/2" x 2 1/2 yds. | (1) sterile knuckle band |
| (2) triangular bandages | (2) sting relief sachets |

Order #	Mfg #	Description	Pack
347657801	FA8TRP	10" x 9" x 3"	1/ea.



Honeywell



FENDALL PURE FLOW 1000® EYEWASH STATION

Delivers a purified, sterile, and physiologically correct buffered saline solution from factory-sealed cartridges. No costly plumbing required. Provides a constant ribbon fluid flow rate of 0.4 gpm for the entire 15 minute flushing period required by industry standards. Integral fluid reservoir captures waste fluid. Stop valve allows easy draining of reservoir after use. Cartridges have a 2 year shelf life; sold separately. Meets ANSI Z358.1-2009 15-minute flushing requirement. SEI Certified.

Order #	Mfg #	Description	Pack
341554681❖	32-001000-0000	Station, English	1/ea.
34155477❖	32-001050-0000	Saline Refill Cartridge, Tri-Lingual	1/ea.



FIRST RESPONDER KIT

Cordura® nylon padded bag.

Contents:

- | | |
|--|--|
| (1) adhesive tape roll | (2) disposable gloves |
| (1) esmarch bandage | (30) sterile plastic adhesive strips |
| (12) sterile gauze pads | (10) sterile knuckle bands |
| (10) sterile fabric strips | (10) sterile fingertip dressings |
| (2) sterile eye pads with double adhesive strips | (10) sting-kill sachets |
| (6) triangular bandages | (1) tweezers |
| (1) sterile elastic pressure bandage | (1) scissors |
| (3) elastic bandages | (6) sterile abdominal pads |
| (4) conform gauze bandages | (5) sterile telfa pads |
| (1) instant glucose | (12) safety pins |
| (200) non-sterile gauze sponges | (1) emergency disc light |
| (1) antiseptic providine - 500 mL, | (1) first aid cream - 25 g |
| (2) sterile multitrauma dressings | (1) universal fast splint |
| (1) penlite with batteries | (1) airway kit - C/W 6 airways (0-4) |
| (1) saline solution - 500 mL | (1) Steri-stat antiseptic gel - 450 mL |
| (1) instant cold compress | (1) universal paramedic scissors |
| | (5) Steri-strip skin closures |

Order #	Mfg #	Description	Pack
347655561❖	FAKFR5000	19" x 10" x 12 1/2"	1/ea.

Product Index

A

Anchorage Connector	.28
Apron	.34
Automatic Rope Grab	.29

B

Backpack Adapter, Respirator	.21
Boot Covers	.35

C

Cartridges, Respirator	.18-21
Coated Gloves	.23-24
Coats, Lab	.34
Coveralls	.30-33
Covers	
Boot	.35
Shoe	.35
Cut Resistant Gloves	.24-25

D

Detectors, Gas	.36
Dispenser, Earplug	.10-11
Disposable Gloves	.22-23
Disposable Respirators	.15-17

E

Earmuffs	.12-14
Earplugs	.9-12
Earplug Dispenser	.10-11
Eyewash	
Solution	.37
Stations	.37
Eyewear	.1-4

F

Face Shield	
Headgear	.8
Windows	.6, 8
Face/Head Protection	.5-8
Fall Limiters	.26, 28
Filter Retainer, Respirator	.18
Filters, Respirator	.18-21
First Aid	.37
Frames, Helmet	.5-6

G

Gas Detectors	.36
Glasses	.1-4
Gloves	
Coated	.23-24
Cut Resistant	.24-25
Latex	.22-23
Nitrile	.22-25
Oil-Repellent	.25
Goggles	.4

H

Hard Hats/Caps/Accessories	.5-7
Harnesses	.26, 27, 29
Head/Face Protection	.5-8
Headgear, Face Shield	.6, 8
Helmet Frames	.5-6

I

Instrumentation	.36
-----------------	-----

K

Kits	
First Aid	.37
Roofers	.26, 29

L

Lab Coats	.34
Lanyards	.26-29
Latex Gloves	.22-23
Lifeline	.26
Liners, Winter	.6
Liquid & Particle Protection	
Pants	.34
Shirt	.34
Sleeves	.35

N

Nitrile Gloves	.22-25
----------------	--------

O

Oil-Repellent Gloves	.25
----------------------	-----

P

Pants, Protective	.34
Propionate Visor	.6, 8
Protective	
Clothing	.30-35
Eyewear	.1-4

R

Respirators	
Adapter	.19
Backpack Adapter	.21
Cartridges	.18-21
Cleaning Wipes	.18
Disposable	.15-17
Filter Retainer	.18
Filters	.18-21
Reusable	.18-21
Roofers's Systems/Fall Protection Kits	.26, 29
Rope Grab	.29

S

Safety	
Glasses	.1-4
Goggles	.4
Saline Refills	.37
Shirt, Protective	.34
Shoe Covers	.35
Sleeves, Protective	.35
Solution, Eyewash	.37
Stations, Eyewash	.37

V

Visors	.6, 8
--------	-------

W

Windows, Face Shield	.6, 8
Winter Liners	.6

Manufacturer Part Number Index

Mfg#	Item#	Pg. #	Mfg#	Item#	Pg. #	Mfg#	Item#	Pg. #
3M			DUPONT			7584P100L 347637461 21		
1100	665511005	9	FC450S	31713961	35	75FFP100	347651001	21
1110	665511045	9	FC454S	31714100	35	75FFP100NL	61460907	21
11343-10000-20	665521191	1	NG120S-2XL	31710129	31	75SCL	34768244	21
11384-00000-20	665574201	1	NG120S-3XL	31710130	31	75SCP100L	34763700	21
12100-10000-20	665520831	1	NG120S-L	31710125	31	760008A	347637481	20
12166-00000-20	665574651	1	NG120S-XL	31710128	31	760008AS	347637491	20
2071	665511655	18	P1127SDB-2XL	31718210	31	770030L	347657211	21
2078	665511675	18	P1127SDB-3XL	31718211	31	770030M	347657201	21
2091	665520915	18	P1127SDB-L	31718208	31	770030S	347657191	21
2097	665511695	18	P1127SDB-M	31718207	31	8798B/6FTGNC	341552001	26
2291	665522915	18	P1127SDB-XL	31718209	31	A49R010000	347603181	7
2297	665522975	18	PB120SBULG002500	31712501	30	A49R020000	347603191	7
310-1001	665564465	9	PB120SWHLG002500	31712511	30	A515DL	341512171	25
311-1101	665522755	9	PB122SBU2X002500	31712523	30	A700	341529371	3
312-1201	665521395	9	PB122SBU3X002500	31712524	30	A701	341529381	3
312-1219	665564195	9	PB122SBULG002500	31712521	30	A702	341529391	3
312-1223	665564445	9	PB122SBUMD002500	31712520	30	A703	341529401	3
340-4003	665564285	9	PB122SBUXL002500	31712522	30	A704	341529411	3
340-4004	665522475	9	PB122SWH2X002500	31712533	30	A79010000	347604441	7
501	665512085	18	PB122SWH3X002500	31712534	30	A79020000	347604451	7
504	665512105	18	PB122SWHLG002500	31712531	30	A79060000	347604491	7
5N11	665512065	18	PB122SWHMD002500	31712530	30	A79R010000	347604201	7
5P71	665512075	18	PB122SWHXL002500	31712532	30	A79R020000	347604221	7
6001	665513305	18	PB125SBULG002500	31712541	30	A79R060000	347604261	7
60923	665513375	18	PB125SWHLG002500	31712551	30	A8150/40	347604661	8
60925	665513395	18	PB127SBU2X002500	31712563	30	A8152/40	347604681	8
60926	665513405	18	PB127SBU3X002500	31712564	30	A8154	34768154	8
60929	665513425	18	PB127SBULG002500	31712561	30	A8154G	347604771	8
6700	665513581	18	PB127SBUMD002500	31712560	30	A89010000	347605161	7
6800	665513621	18	PB127SBUXL002500	31712562	30	A89020000	347605171	7
6900	665513871	18	PB127SWH2X002500	31712573	30	A89030000	347605181	7
7501	665514051	18	PB127SWH3X002500	31712574	30	A89R010000	347605011	7
7502	665514061	18	PB127SWHLG002500	31712571	30	A89R020000	347605021	7
7503	665514801	18	PB127SWHMD002500	31712570	30	A89R030000	347605031	7
8210	665501755	15	PB127SWHXL002500	31712572	30	A900CSA	341561101	3
8210V	665582235	15	QC122S-2XL	31710318	32	A901CSA	341548431	3
8212	665582145	15	QC122S-3XL	31710319	32	AS-30R	341501315	9
8271	665514595	15	QC122S-L	31710314	32	AS-30W	341501325	9
8511	665585115	15	QC122S-XL	31710317	32	B100100	341521865	21
8577	665514675	15	QC127S-2XL	31710349	32	B250000	341522201	21
9210	665592105	15	QC127S-3XL	31710350	32	B260000	341522231	21
H7A	665570071	12	QC127S-L	31710345	32	B270000	341522295	21
H7B	665570211	12	QC127S-XL	31710348	32	BP1002	347605801	21
H7P3E	665564431	12	SL122B-2XL	31710390	32	BRFKT50/50FTC	341545741	26
ANSELL			SL122B-3XL	31710391	32	DPAS-1	341501335	9
11-500-10	220100615	24	SL122B-L	31710389	32	DPAS-30R	341501345	9
11-500-9	220113645	24	TY120S-L	31710458	31	DPAS-30W	341501365	9
11-501-9	220100745	24	TY122S-L	31710466	31	E650-4UGN	341559061	26
11-510-10	220115215	24	TY125S-L	31710475	31	F400CSA	347688571	8
11-510-9	220115235	24	TY127S-L	31710484	31	F500CSA	347688581	8
11-511-10	220115205	24	TY210S-M	31710494	34	FA8TRP	347657801	37
11-511-9	220151195	24	TY212S-M	31710508	34	FAKFR5000	347655561	37
11-624-10	220100545	24	TY273S	31710784	34	FL11-0-Z7/11FT	341565351	26
11-624-9	220116245	24	TY500S	31710538	35	FL11-3-Z7/11FT	341558351	26
11-800-10	220118035	24	HONEYWELL			FP2552GG/6	347688621	29
11-800-9	220113775	24	1010924	341500281	13	FP541	347614131	29
11-920-10	220119205	25	1010927	341500321	13	FP81F/1DBA	34760811	29
11-920-9	220192295	25	1010970	341536791	13	FPD90/50	347611141	29
14-660-10	220146705	23	1030110	341561311	13	HD501	341529571	3
14-660-9	220146695	23	105005	341522785	21	HD502	341529581	3
208-10	220108105	22	106010	341522925	21	HD800	341529661	3
208-9	220108095	22	11250800	341537631	4	HD802	341529681	3
224-10	220124105	23	11250810	341537641	4	HDHHAT10	341529481	7
224-9	220124095	23	14110391	341523215	16	HDHHAT20	341529491	7
297-10	220197065	22	231M-Z7/6FTGNC	341567521	26	KHG5001	347695011	8
297-9	220103415	22	280005	347632135	12	LA049INDL	347662525	23
37-175-10	220175105	22	280006	347650595	12	LA049INDXL	347662555	23
37-175-9	220175095	22	32-000400-0000	34155438	37	LL-1	341501475	9
392-10	220197035	22	32-000401-0000	34155441	37	LL-30	341501495	9
392-9	22013929	22	32-000454-0000	341501071	37	LPF-1	341501595	10
69-210-L	220197105	22	32-000455-0000	341501081	37	LPF-1-D	341539545	10
69-210-XL	220130555	22	32-000461-0000	341501101	37	LPF-30	341501615	10
80-100-10	220111965	25	32-001000-0000	341554681	37	LS-500	341501651	10
80-100-9	220112005	25	32-001050-0000	34155477	37	LT-30	341501665	9
80-400-10	220112015	25	4178CL	614606241	8	MAX-1	341501695	10
80-400-9	220114025	25	4178DGN	614606251	8	MAX-1-D	341539575	10
92-500-L	220112655	22	4199CL	347642601	8	MAX-30	341501735	10
92-500-XL	220112665	22	4199DGN	347687535	8	N75001L	347650011	21
92-575-L	220148195	22	4200L	347642021	18	N750027	347620951	21
92-575-XL	220148205	22	4200M	347642011	18	N75002L	347650021	21
92-600-L	220112705	22	4200S	347642001	18	N75003L	347657485	21
92-600-XL	220112715	22	42N95	347642955	18	N75004L	347675001	21
92-675-L	220126775	22	54001	347640011	20	NF1310	347666701	24
92-675-XL	220126785	22	7506N95	347637025	21	NF139	347666731	24
			7580P100	347637441	21	NF1410	347666745	23
			7581P100L	34763745	21	NF149	347666775	23
			7582P100L	347601001	21	NFD16G10	333002225	24
			7583P100L	347631001	21			

Manufacturer Part Number Index


MANUFACTURER PART NUMBER INDEX

Mfg#	Item#	Pg. #	Mfg#	Item#	Pg. #	Mfg#	Item#	Pg. #
NFD16G9	333002265	24	KD119	331401191	1	8910	222243425	19
NK803ES10	347680401	25	S2110	331421111	1	8970	222228970	19
NK803ES9	347680391	25	S2112	331403121	1	9002	222290021	19
PFL-4-Z7/9FT	341558361	26	S2117	331403171	1	9003	222290031	19
QD1	341502045	10	SS110	331441101	2	EZ22	222200975	16
QD30	341502065	10	SS112	331402931	2	EZ23	222200235	16
RL20G-Z7/20FT	341558331	26	ST110	331464051	2	MSA		
S2500	341531611	3	ST112	331402991	2	10021292	308520351	5
S2500C	341531621	3	ST117	331401171	2	10023932	308522171	28
S2510C	341531731	3	TC120	331403451	2	10028995	308524661	20
S3200	341532271	4	TK110	331464011	2	10028996	308524671	20
S3200X	341532281	4	TK110AF	331464071	2	10028997	308524681	20
S3201	341532291	4	TK112	331403541	2	10047084	308535541	28
S3202	341532311	4	MOLDEX			10051455	308536481	28
S3203	341532331	4	1200N95	222220955	16	10057441	3085508B1	5
S3204	341532341	4	2200N95	222205555	16	10058321	3085962A1	5
S3300	341532621	4	2207N95	222200215	16	10061512	308536791	5
S3300X	341532631	4	2300N95	222200955	16	10063441	308536881	28
S3301	341532641	4	2307N95	222200255	16	10072472	3085430B1	27
S3350	341532781	4	2310N99	222210995	17	10072473	3085887B1	27
S3400X	341534001	4	2315N99	222200265	17	10072474	3085981A1	27
S3405X	341532791	4	2360P100	222200285	16	10072475	3085982A1	27
S3960C	341533001	4	2400N95	222204525	17	10072479	3085983A1	27
S4200X	341533191	3	2500N95	222225005	17	10072483	3085431B1	27
S4201X	341533231	3	2600N95	222271455	17	10072484	3085089C1	27
SE201A000	347687501	5	2700N95	222200305	17	10072487	3085985A1	27
SE203A000	347687901	5	2730N100	222200325	17	10072488	3085001C1	27
SMF-30	341502115	9	2740R95	222227405	17	10072495	3085297C1	27
T525L	347624665	22	2800N95	222200355	17	10073708	3085303B1	27
T525XL	347624735	22	4200N95	222242005	16	10077571	3085305B1	27
T56005B	347660051	2	4600N95	222260955	16	10078256	3085995C1	36
T56005BA	347675251	2	6100	222261001	14	10087220	3085079D1	5
T56005BS	347675311	2	6200	222262001	14	10087422	3085004D1	14
T56505BS	34762513	2	6201	222200431	14	10087429	3085000D1	14
T57505B	347688271	2	6300	222200451	14	10087439	3085998C1	14
T57505BL	347688601	2	6400	222200465	11	10089967	3085993C1	36
T57505BS	347688611	2	6405	222256905	11	10090592	3085994C1	36
KIMBERLY-CLARK			6415	222256895	11	10092521	3085885B1	36
36811	15406811	35	6420	222200475	11	10093350	3085626C1	28
36870	15406870	35	6445	222264455	10	10104710	3085416D1	28
36880	15408032	35	6450	222264505	10	10105889	3085371D1	27
36885	15408033	35	6455	222264555	10	10105931	3085527D1	27
40103	15400402	34	6490	222200505	10	10105940	3085528D1	27
40104	15400403	34-35	6495	222200515	10	10105941	3085529D1	27
40105	15400404	34	6504	222265045	11	10105946	3085530D1	27
40227	154002275	23	6505	222265055	11	10105954	3085531D1	27
40228	154002285	23	6506	222265065	11	10105956	3085532D1	27
44402	15401302	34	6520	22226520	11	10105958	3085533D1	27
44412	15400329	34	6604	222200545	11	10105960	3085534D1	27
44480	15400357	35	6615	222266155	11	10107602	3085400D1	36
45023	15400388	33	6620	222200575	10	10107603	3085535D1	36
45024	15400417	33	6622	222200585	10	10110443	3085536D1	36
45025	15400419	33	6644	222200591	11	10110445	3085537D1	36
45026	15400421	33	6645	222200601	11	10115730	3085850D1	6
46113	15400588	33	6646	222200615	10	10115822	3085852D1	6
46114	15406114	33	6647	222200625	10	10115847	3085331E1	6
46115	15400589	33	6654	222228235	11	10115855	3085340E1	6
46116	15400590	33	6800	222268005	11	10116928	3085686D1	36
49113	15408252	33	6820	222268205	11	10116929	3085925D1	36
49114	15408254	33	6840	222268405	11	10118419	3085868D1	6
49115	15408256	33	6844	222200701	11	10118424	3085872D1	6
49116	15408219	33	6845	222268451	11	10121266	3085851D1	6
58513	15408513	33	6846	222268465	11	10121268	3085853D1	6
58514	15405814	33	6847	222268475	11	475358	308503581	5
58515	15408515	33	6870	222268705	11	475359	308553601	5
58516	15400698	33	6875	222268755	11	475360	308553621	5
90098	154090985	23	6900	222231035	11	475361	308553611	5
90099	154090995	23	6940	222269405	10	475363	308553691	5
97822	154028445	23	6945	222269455	10	475366	308555661	5
97823	154028455	23	6970	222269705	11	475367	308555671	5
97824	154028465	23	7001	222270011	19	475368	308553681	5
98222	15402102	23	7002	222270021	19	475369	308553701	5
98223	154028405	23	7003	222270031	19	475370	308555681	5
MCR			7020	222270201	19	475371	308553711	5
9800	331405321	2	7100	222271001	19	506204	308572041	27
9800XL	331405351	2	7140	222271401	19	802972	308529721	5
BK110	331401111	1	7200	222272001	19	815355	308598981	20
BK110AF	331400211	1	7300	222273001	19	815359	308553591	20
BK112	331400221	1	7400	222274001	19	815362	308599031	20
BK114	331401141	1	7500	222275001	19	815366	308553661	20
BK119	331411191	1	7600	222276001	19	815369	308599075	20
CL010	331400461	1	7601	222276011	19	815444	308599131	20
CL110	331400471	1	7602	222276021	19	815448	308599141	20
KD110AF	331402101	1	7603	222276031	19	815452	308599151	20
KD112	331401541	1	7640	222276401	19	815565	3085226B1	5
KD113	331401131	1	7920	222279201	19	815570	308599251	5
KD114	331401561	1	7940	222279401	19	816645	3085035A1	5
			7960	222279601	19	818342	308583425	20
			7990	222279901	19	818343	3085163A5	20
						818344	3085164A5	20


SUPPLY CHAIN BENEFITS

Less Inventory Assets Used = Higher Return On Assets
Lower Operating Costs = Higher Return On Sales

Before R3 Redistribution




After R3 Redistribution



GET BEYOND CASE COST

The “Iceberg” of Costs





LOCATIONS

R3 VANCOUVER

855-570-4524
britishcolumbia@r3redistribution.ca

R3 EDMONTON

877-755-3164
alberta@r3redistribution.ca

R3 REGINA

855-525-2499
saskatchewan@r3redistribution.ca

R3 WINNIPEG

877-944-6915
manitoba@r3redistribution.ca

R3 BURLINGTON

866-964-0144
R3clientcare@r3redistribution.ca

R3 MONTREAL

855-830-9366
quebec@r3redistribution.ca

R3 QUEBEC

855-830-9366
quebec@r3redistribution.ca

R3 MONCTON

877-754-7691
monctonr3@r3redistribution.ca

R3 MT. PEARL

877-754-7691
monctonr3@r3redistribution.ca

www.r3redistribution.ca

